



850  
9/1  
M...

Natural History Museum Library



000108579



pp 32.



## ANIMALIA VERTEBRATA

## Classis II. AVES.

	Patria	Num. in Catal.		Patria	Num. in Catal.
Ordo I. ACCIPITRES			(HYPOMORPHNUS. Cabanis.)		
Trib. I. Diurni.			rutilans. (Licht.)	Amer. mer.	23
Fam. I. VULTURIDÆ			pteroles. (Tem.)	ibid.	30
(G. Vultur. Lin.)			AQUILA. Briss.		
GYPÆTOS. Storr.			heliaca. Sav. juv.	Afr. sept. Eur. m.	15
{ barbatus. (L.)	Sardinia	36	fulva. (Meyer)	Europa	829
{ (var. occidentalis)			Bonellii. Viell.	Afr. sept. Eur. m.	37
NEOPHRON. Savig.			nævia. (L.)	Europa	664
perenopterus. L. m. f.	Afr. sept. Eur. m.	57	SPIZAETUS. Viell.		
CATHARTES. Illig.			ornatus. (Daud.)	Amer. mer.	16
aura. (L.)	Amer. mer.	58	tyrannus. (Pr. Max.)	ibid.	40
SARCORAMPBUS. (Dumér.)			occipitalis. (Daud.)	Afr. mer.	561
papa. (L.)	Amer. mer.	34	limnæus. (Horsf.)	Java	685
GYPs. Savig.			CIRCAETUS. Viell.		
fulvus. (L.)	Eur. mer.	75	gallicus. (L.)	Eur. mer.	31
VULTUR. Lin.			PANDION. Savig.		
cinereus. L.	Eur. mer.	76	haliaetus. (L.)	Europa	674
Fam. II. FALCONIDÆ			PONTOAETUS. Kaup.		
(G. Falco. Lin.)			blagrus. (Daud.)	Afr. Ind. orient.	833
POLYBORUS. Viell.			leucogaster. (Gmel.)	Nova Holland.	732
vulgaris. Viell.	Amer. mer.	20	HALIAETUS. Savig.		
BUTEO. Cuv.			albicilla. (L.)	Europa	830
vulgaris. Bechst.	Europa	18	leucocephalus. (L.)	Amer. sept.	77
borealis. Viell.	Amer. sept.	33	HALIASTUR. Selby		
(ARCHIBUTEO. Brehm.)			pondicerianus. (Gmel.)	Ind. orient.	733
lagopus. (L.)	Europa	27	FALCO. Lin.		
			gyrfalco. L. (Schleg.)	Eur. sept.	4
			biarmicus. Tem.	Afr. austr.	906
			{ lanarius. L. (Schleg.)	Dalmat. Græcia	13
			{ (F. Feldeggii. Schleg. olim)		
			peregrinus. L. m. f.	Europa	12

	Patria	Num. in Catal.		Patria	Num. in Catal.
(HYPOTRIORCHIS. Boie.)			Trib. II. <i>Nocturni</i> .		
aurantius. <i>Lath.</i> var.	Brasil. Guyan.	17	Fam. III. STRIGIDÆ		
chiquera. <i>Lath.</i>	Afr. Ind. orien.	6	( <i>G. Strix</i> . Lin.)		
subbuteo. <i>L.</i> m. f.	Europa	8	SURNIA. Dumér.		
æsalon. <i>L.</i> m. f.	Eur.sept.et.med.	7	funerea. ( <i>Gmel.</i> )	Eur. sept. et or.	49
(ERYTHROPUS. Brehm.)			NYCTEA. Steph.		
vespertinus. ( <i>Lin.</i> ) m. f.	Eur. mer.	10	{ erminea. <i>Steph.</i>	Eur. et Am.sept.	41
(TINNUNCULUS. Viell.)			{ ( <i>Strix nyctea. L.</i> )		
tinnunculus. <i>L.</i> m. f.	Europa	1	NOCTUA. Cuvier.		
cenchris. <i>Neum.</i>	Eur.or. As.occ.	11	( <i>Athene. Boie.</i> )		
sparverius. <i>L.</i> m. f.	Amer. mer.	9	castanoptera. ( <i>Horsf.</i> )	Ind. orient.	44
PERNIS. Cuv.			torquata. ( <i>Daud.</i> )	Brasil. Gujan.	45
apivorus. ( <i>L.</i> ) m. f.	Europa	2	fulva. ( <i>Forst.</i> )	N. Seeland.	545
ELANUS. Savig.			ferruginea. ( <i>Pr. Max.</i> )	Amer. mer.	52
melanopterus. ( <i>Daud.</i> )	Eur.m.Afr.sept.	22	cunicularia. ( <i>Molina.</i> )	ibid.	593
NAUCLERUS. Vig.			Tengmalmi. ( <i>Gmel.</i> )	Eur. sept.	47
furcatus. ( <i>L.</i> )	Am.et Eur.sept.	24	passerina. ( <i>L.</i> )	ibid.	48
MILVUS. Cuv.			{ veterum. <i>Licht.</i>	Europa	42
regalis. ( <i>Briss.</i> )	Europa	35	{ ( <i>Strix passerina. Tem.</i> )		
ater. ( <i>Gmel.</i> )	Eur.m.Afr.sept.	29	SCOPS. Savig.		
ASTUR. Briss.			asio. ( <i>L.</i> )	Am. sept.	216
palumbarius. ( <i>L.</i> ) m. ad; et juv.	Europa	32	choliba. ( <i>Viell.</i> )	Amer. merid.	38
musicus. ( <i>Daud.</i> )	Africa	5	{ zorca. ( <i>Cetti.</i> )	Europa	53
polyzonus. <i>Rüpp.</i>	ibid.	3	{ ( <i>Strix scops. L.</i> )		
Novæ Hollandiæ. ( <i>Gm.</i> )	N. Holland.	734	leucotis. ( <i>Tem.</i> )	Afr. austr.	46
ACCIPITER. Briss.			KETUPA. Less.		
nisus. ( <i>L.</i> ) m. f. et juv.	Europa	26	ceylonensis. ( <i>Gmel.</i> )	Ceylan	739
velox. ( <i>Wils.</i> )	Amer. sept.	25	BURRO. Sibb.		
magnirostris. ( <i>Gmel.</i> )	Amer. mer.	740	maximus. <i>Sibb.</i>	Europa	215
australis. ( <i>Less.</i> )	N. Holland.	684	lacteus? ( <i>Tem.</i> )	Senegal?	39
CIRCUS. Lacép.			OTUS. Cuv.		
æuginosus. ( <i>L.</i> ) m. f. et juv.	Europa	21	vulgaris. <i>Flem.</i>	Europa	51
{ gallinarius. ( <i>Savig.</i> ) m. f.	ibid.	19	brachyotus. ( <i>Gmel.</i> )	ibid.	907
{ ( <i>Falco cyaneus. L.</i> )			longirostris. ( <i>Spix.</i> )	Amer. mer.	50
{ Montagui. <i>Viell.</i> f.	ibid.	14	SYRNIUM. Savig.		
{ ( <i>Falco cineraceus. Mont.</i> )			aluco. <i>L.</i>	Europa	54
cineus. <i>Viell.</i>	Amer. mer.	675	{ cynereum. ( <i>Gmel.</i> )	Eur. boreal.	55
pallidus. ( <i>Sykes.</i> )	Eur. mer.	754	{ ( <i>Strix lapponica. Retz.</i> )		
			nebulosum. ( <i>Gmel.</i> )	Amer. sept.	43
			STRIX. Linn.		
			flammea. ( <i>L.</i> )	Europa	56

	Patria	Num. in Catal.		Patria	Num. in Catal.
Ordo II. PASSERES			COTYLE. Boie.		
Trib. I. <i>Fissirostres</i> .			riparia (L.)	Europa	403
Fam. I. CAPRIMULGIDÆ			rupestris. (Scop.)	ibid.	62
(G. <i>Caprimulgus</i> . Lin.)			leucoptera. (Gmel.)	Amer. mer.	121
STEATORNIS. Humb.			CHELIDON. Boie.		
caripensis. Humb.	Peru	507	urbica. (L.)	Europa	908
PODARGUS. Cuv.			Fam. III. TODIDÆ		
javanicus. Horsf.	Java	741	(G. <i>Todus</i> , <i>Coracias</i> et <i>Ramphastos</i> part. Lin.)		
CAPRIMULGUS. Lin.			EURYSTOMUS. Vieill.		
europæus. L.	Europa	71	violaceus. Vieill.	Madagascar	78
semitorquatus. L.	Amer. mer.	511	orientalis. (Gmel.)	Ind. orient.	79
(HYDROPSALIS. Wagl.)			CORACIAS. Lin.		
psalurus. Tem.	Amer. mer.	60	abyssinica. Gmel.	Afr. mer.	454
Fam. II. HIRUNDINIDÆ			bengaleusis. Gmel.	Ind. or. Afr. m.	455
(G. <i>Hirundo</i> . Lin.)			cyanogastra. Vieill.	Java	452
CYPSELUS. Illig.			garrula. L.	Eur. m. Afr. sept.	909
apus. (L.)	Europa	73	TODUS. Lin.		
melba. (L.)	Eur. mer.	74	viridis. L.	Amer. mer.	67
DENDROCHELIDON. Boie.			EURYLAIMUS. Horsf.		
mystaceus. (Less.)	N. Guinea	745	javanicus. Horsf.	Java	82
klecho. (Horsf.)	Java	61	(CYMBIRHYNCHUS. Vig.)		
ACANTHYLIS. Boie.			nasutus. (Lath.)	Ind. orient.	81
acuta. (Gmel.)	Amer. tropic.	887	MOMOTUS. Briss.		
collaris. (Pr. Max.)	ibid.	888	ruficapillus. Vieill.	Amer. mer.	480
COLLOCALIA. G. R. Gray.			brasiliensis. (Lath.)	ibid.	910
esculenta. (L.)	Java	65	Fam. IV. TROGONIDÆ		
HIRUNDO. Lin.			(G. <i>Trogon</i> . Lin.)		
rustica. L.	Europa Africa	64	HARPACTES. Swains.		
cahirica. Licht.	Africa sept.	80	oreskios. (Tem.)	Ind. orient.	760
daurica. Pallas	Sibir. Afr. sept.	603	Reinwardtii. (Tem.)	ibid.	761
fasciata. L.	Amer. mer.	387	malabaricus. t. (Gould.)	ibid.	911
PROGNE. Boie.			TROGON. Mæhr.		
purpurea. L.	Amer. mer.	326	curucui. L.	Amer. mer.	913
chalibæa. Gmel.	ibid.	66	surrucura. Vieill.	ibid.	916
			atricollis. Vieill.	ibid.	917
			viridis. L.	ibid.	914

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>CALURUS.</b> Swains.			<b>JACAMARALCYON.</b> Le Vaill.		
pavoninus. ( <i>Spix.</i> )	Amer. centr.	915	tridactyla. ( <i>Viell.</i> )	Amer. mer.	85
resplendens. ( <i>Gould</i> )	ibid.	583	<b>GALBULA.</b> Moerh.		
Fam. V. <b>ALCEDINIDÆ</b>			viridis. <i>Lath.</i>	Amer. mer.	93
( <i>G. Alcedo et Bucco</i> part. L.)			albirostris. <i>Le Vaill.</i>	ibid.	94
<b>CAPITO.</b> Viell.			paradiscea. <i>Lath.</i>	ibid.	86
macrorhynchus. ( <i>Gm.</i> )	Amer. mer.	821	<b>JACAMEROPS.</b> Le Vaill.		
melanotis. <i>Tem.</i>	ibid.	822	grandis. ( <i>Gm.</i> )	Amer. mer.	563
maculatus. ( <i>L.</i> )	ibid.	820	Fam. VI. <b>MEROPIDÆ</b>		
<b>MONASA.</b> Viell.			( <i>G. Merops.</i> L.)		
tranquilla. ( <i>Gm.</i> )	Amer. mer.	949	<b>MEROPS.</b> Lin.		
personata. <i>Viell.</i>	ibid.	950	apiaster. <i>L.</i>	Eur. mer. Af. sep.	68
tenebrosa. ( <i>Pall.</i> )	ibid.	951	ægyptius. <i>Forst.</i>	ibid.	70
<b>LYPORNIX.</b> Wagl.			albicollis. <i>Le Vaill.</i>	Africa	59
torquatus ( <i>Halp.</i> )	Brasil.	952	melanurus. <i>Horsf.</i>	Ins. Sond.	72
rubecula. ( <i>Spix.</i> )	ibid.	953	Bullockii. <i>Le Vall.</i>	Afr. austr.	217
<b>DACELO.</b> Leach.			viridis. <i>L.</i>	ibid.	63
gigantea.	N. Holland.	1120	nubicus. <i>Cuv.</i>	Africa	69
<b>HALCYON.</b> Swains.			azuror. <i>Less.</i>	ibid.	1096
chlorocephalus. ( <i>Gm.</i> )	Ins. Sond.	97	Trib. II. <i>Tenuirostres</i>		
omnicolor. ( <i>Reinw.</i> )	ibid.	752	Fam. I. <b>UPUPIDÆ</b>		
senegalensis. ( <i>L.</i> )	Afr. Austr.	98	( <i>G. Upupa.</i> L.)		
smyrnensis. ( <i>L.</i> )	As. occid.	95	<b>UPUPA.</b> Lin.		
capensis. ( <i>Gmel.</i> )	Afr. Austr.	90	epops. <i>L.</i>	Europa	947
Lindsayi. ( <i>Vig.</i> )	Ind. Orient.	120	<b>PROMEROPS.</b> Briss.		
<b>TANYSIPTERA.</b> Vig.			erythrorhynchus. ( <i>Lath.</i> )	Afr. austr.	946
Dea. ( <i>L.</i> )	Moluc. N. Guin.	743	melanorhynchus. ( <i>Hagl.</i> )	ibid.	958
<b>GEYX.</b> Lacép.			( <i>Rhinopomastus.</i> Smith.)		
Sonneratii.	Moluc. N. Guin.	119	cyanomelas. ( <i>Viell.</i> )	ibid.	959
<b>CERYLE.</b> Boie.			Fam. II. <b>CINNYRIDÆ</b>		
rudis. ( <i>L.</i> )	Afr. sept. As. occ.	83	( <i>G. Certhia.</i> part. L.)		
maxima. ( <i>Lath.</i> )	Afr. austr.	948	<b>DREPANIS.</b> Tem.		
torquata. ( <i>Gm.</i> )	Amer. mer.	84	vestiaria. ( <i>Lath.</i> )	Insul. Sandwic.	941
alcyon. ( <i>L.</i> )	ibid.	96			
cum var. (1)					
amazona. ( <i>Lath.</i> )	ibid.	92			
<b>ALCEDO.</b> Lin.					
ispida. <i>L.</i>	Europa	91			
cristata. <i>L.</i>	Afr. mer.	87			
americana. <i>Gm.</i>	Amer. mer.	88			
cum var. (2)					
superciliosa. <i>Lath.</i>	ibid.	650			
bicolor. <i>Gm.</i>	ibid.	628			



	Patria	Nom. in Catal.		Patria	Nom. in Catal.
<b>ARACHNOTHERA. Tem.</b>			<b>RAMPHODON. Less.</b>		
longirostra. ( <i>Lath.</i> )	Ind. Orient.	937	{ petasophorus. ( <i>Pr. Max.</i> )	Brasilia	699
inornata. ( <i>Tem.</i> )	ibid.	938		N. Granata	700
<b>CINNYRIS. Cuv.</b>			{ thalassinus. ( <i>Swains.</i> )		
			(Ornismya Anais. <i>Less.</i> )		
famosus. ( <i>L.</i> )	Afr. austr.	927	<b>LAMPORNIS. Swains.</b>		
lepidus. ( <i>Lath.</i> )	Java	926	pectoralis. ( <i>Viell.</i> )	Antillæ	712
proteus. <i>Rüpp.</i>	Afr. austr.	929	gramineus. ( <i>L.</i> )	ibid.	714
purpuratus. <i>Viell.</i>	Ind. orient.	930	granatinus. ( <i>Lath.</i> )	ibid.	718
sola. <i>Viell.</i>	ibid.	928	viridissimus. ( <i>Lath.</i> )	Cajenna	719
Kuhlii. <i>Tem.</i>	ibid.	789	punctatus. ( <i>Viell.</i> )	ibid.	716
mystacalis. <i>Tem.</i>	ibid.	782	mango. ( <i>L.</i> )	ibid.	715
senegalensis. ( <i>L.</i> )	Afr. austr.	934	viridis. ( <i>Viell.</i> )	ibid.	713
pectoralis. <i>Viell. non</i>			hirsutus. ( <i>L.</i> )	ibid.	720
<i>Tem.</i>	ibid.	935	La Fresnayi. ( <i>Less.</i> )	N. Granata	1100
{ violaceus. ( <i>L.</i> )	Afr. austr.	936	Buffonii. ( <i>Less.</i> )	ibid.	1101
( <i>Certhia crocata. Shaw.</i> )			<b>TOPAZA. G. R.</b>		
pulchellus. ( <i>L.</i> )	ibid.	931	PELLA. ( <i>L.</i> ) m. f.	Cajenna	695
platurus. ( <i>Viell.</i> )	ibid.	932	<b>CALOTHORAX. C. R. Gray.</b>		
politus. ( <i>Lath.</i> )	ibid.	933	lucifer. ( <i>Swains.</i> )	Mexico	654
			amethystinus. ( <i>L.</i> )	Brasilia	657
			colubris. ( <i>L.</i> )	Amer. sept.	658
<b>DICEUM. Cuv.</b>			<b>GRYPUS. Spix.</b>		
sanguinolentum. <i>Tem.</i>	Insul. Sond.	780	nævius. ( <i>Dum.</i> )	Brasilia	693
rubrocanum. <i>Tem.</i>	ibid.	942	<b>PHAETORNIS. Swains.</b>		
<b>DACNIS. Cuv.</b>			superciliosus. ( <i>L.</i> )	Cajenna	690
cayanus. ( <i>L.</i> ) (3)	Amer. mer.	265	rufigaster. ( <i>Viell.</i> )	ibid.	691
cyanater. <i>Less.</i>	ibid.	555	brasiliensis. ( <i>Lath.</i> )	Brasilia	689
cyancephalus. ( <i>Lath.</i> )	ibid.	262	eurynomus. ( <i>Less.</i> )	ibid.	692
anal. <i>D'Orb. et La Fr.</i>	Bolivia	266	Bourcierii. ( <i>Less.</i> )	Cajenna	1094
pitiayumi. ( <i>Viell.</i> )	Paraguay	272	anthophyllus. ( <i>Bourc.</i> )	N. Granata	1095
<b>CERTHIOLA. Sundew.</b>			<b>PATAGONA. G. R. Gray.</b>		
flaveola. ( <i>L.</i> )	Amer. mer.	940	gigas. ( <i>Viell.</i> )	Chili	697
trochilea. ( <i>Lath.</i> )	ibid.	939	Temminckii. ( <i>Boiss.</i> ) f.	N. Granata	698
<b>COEREBE. Briss.</b>			ensifera. ( <i>Boiss.</i> ) m. f.	ibid.	694
cyanea. ( <i>L.</i> )	Antill.	943	<b>CYNANTHUS. Swains.</b>		
cærulea. ( <i>L.</i> )	Cajenna	945	Kingii. ( <i>Less.</i> )	N. Granata	663
spiza. ( <i>L.</i> )	Brasil. Boliv.	944	Nuna. ( <i>Less.</i> )	ibid.	661
			Sylvia. ( <i>Less.</i> )	ibid.	656
<b>Fam. III. TROCHILIDÆ</b>					
( <i>G. Trochilus. L.</i> )					
<b>CAMPIOPTERUS. Swains.</b>					
latipennis. ( <i>Lath.</i> )	Cajenna	696			

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>SMARAGDITES. Boie.</b>			<b>Fam. IV. MELIPHAGIDÆ</b>		
hirundinacea. (Less.)	Cajenna	724	(G. <i>Certhia</i> part. <i>Merops</i> part. L.)		
furcata. (Gmel.)	ibid.	726			
vestita. (Longuem.) m. f.	N. Granata	725	<b>ACANTHORHYNCHUS. Gould.</b>		
glaucoptis. (Gmel.)	Brasilia	721	tenuirostris. (Lath.)	N. Holland.	925
Allardii. (Bourcier.) m. f.	N. Granata	722			
Clarisse. (Longuem.)	ibid.	723	<b>MELIORNIS. G. R. Gray.</b>		
heteropogon. (Boiss.)	N. Granata	1098	novæ Hollandiæ. (Lath.)	Austral.	956
helianthea. (Less.)	ibid.	1099	australasiana. (Shaw.)	ibid.	1009
prasina. (Less.)	ibid.	1102	melanoleuca. (Vieill.)	ibid.	921
<b>HELIACTIN. Boie.</b>			<b>PROSTHEMADERA. G. R. Gray.</b>		
bilophus. (Tem.)	Brasilia	655	novæ Seelandiæ. (Gmel.)	N. Seeland.	922
Cora. (Less.)	Peru	659			
<b>TROCHILUS. Lin.</b>			<b>PTILOTI. Gould.</b>		
Amazili. (Less.)	Peru	703	flavescens. Gould.	N. Holland.	886
albicollis. Vieill.	Buenosayres	710	flavigula. Gould.	ibid.	954
rubineus. L.	Brasilia	706			
mellivorus. L.	Cajenna	711	<b>ANTHORNIS. G. R. Gray.</b>		
nigrotis. (Less.)	ibid.	701	melanura. (Sparr.)	N. Seeland.	513
Rivoli. (Less.)	Mexico	707	sannio. (Gmel.)	ibid.	537
sephanioides. (Less.) m. f.	Chili	708			
microhynchus. Boiss. f.	N. Granata	709	<b>PHYLLORNIS. Boie.</b>		
moschitus. L.	Cajenna	704	cochinchinensis. (Gmel.)	Ind. orient.	766
obscurus. Vieill.	ibid.	705	Mülleri. Tem.	Ins. Sond.	955
bicolor. (Less.)	Brasilia	728	virescens. Tem.	ibid.	825
saphirinus. L.	Cajenna	702	<b>MELIPHAGA. Lewin.</b>		
cyaneus. (Less.) var.	Brasilia	858	phrygia. (Lath.)	N. Holland.	919
albirostris. (Less.)	Guian.	1103	chrysoptera. (Lath.)	ibid.	957
Atala. (Less.)	Brasilia	1104			
Portmanni. Bourc.	N. Granata	1105	<b>ANTHOCHOERA. Vig. et Horsf.</b>		
paradisæus. (Less.)	?	1106	carunculata. (Lath.)	N. Holland.	920
viridigaster. Bourc.	N. Granata	1107			
Cobani. Bourc.	Mexico	1108	<b>ENTOMYZA. Swains.</b>		
Goudotii. Bourc.	N. Granata	1109	cucullata. Lath.	ibid.	398
columbicus. Bourc.	Columbia	1111	<b>TROPIDORHYNCHUS. Vig. et Horsf.</b>		
Riefferii. Bourc.	N. Granata	1110	citreogularis. Gould.	Austral.	570
cyanifrons. Bourc.	ibid.	1112	musicus. (Vieill.)	ibid.	918
			( <i>Certhia</i> carunculata. Gmel.)		
<b>ORTHORHYNCHUS. Cav.</b>			<b>MELITHREPTUS. Vieill.</b>		
cristatus. (L.)	Antillæ	687	atricapillus. (Lath.)	N. Holland.	923
Delalandii. (Vieill.)	Brasilia	688			
<b>LOPHORNIS. Less.</b>					
ornatus. Less.	Brasilia	1097			
magnificus. (Vieill.)	Cajen. Jamaica	660			
( <i>Ornismya strumaria</i> Less.)					
Violletii. (Less.)	Brasilia	662			

	Patria	Num. in Catal.		Patria	Num. in Catal.
Fam. V. CETHIDÆ			XENOPS. Hoffm.		
(G. <i>Certhia</i> et <i>Sitta</i> , L.)			rufosuperciliatus, <i>LaFres.</i>	Amer. mer.	982
FURNARIUS Viell.			MOHOVA. Less.		
rufus, <i>Viell.</i>	Amer. mer.	550	ochrocephala, ( <i>Gm.</i> )	N. Seeland.	516
superciliaris, <i>Less.</i>	Brasil.	981			
(LOCHMIAS. Swains.)			Trib. III. <i>Dentirostres.</i>		
Hilairii, <i>Less.</i>	Brasil.	539	Fam. I. SILVIADÆ		
SYNALLAXIS. Viell.			(G. <i>Motacilla</i> et <i>Parus</i> , Lin.)		
ruficauda, <i>Viell.</i>	Brasil.	263	ORTHOTOMUS. Horsf.		
ruficapilla, <i>Viell.</i>	ibid.	267	sepium, <i>Horsf.</i>	Java	775
ANABATES. Tem.			PRINIA. Horsf.		
aradoides, <i>La Fresn.</i>	Brasil.	620	familiaris, <i>Horsf.</i>	Java	258
rufifrons, <i>Spix.</i>	ibid.	621	DRYMOICA. Swains.		
{ ruber.	Bolivia	548	cisticola, ( <i>Tem.</i> )	Eur. mer. Afr.	246
( <i>Furnarius ruber. Viell.</i> )			MELIZOPHILUS. Leach.		
DIGLOSSA. Wagl.			provincialis, ( <i>Gmel.</i> )	Eur. mer. Afr.	221
baritula, <i>Wagl.</i>	Bolivia	978	MALURUS. Viell.		
La Fresnayi, ( <i>Boiss.</i> )	N. Gran.	980	cyaneus, ( <i>Ellis.</i> )	N. Holland.	260
cyanea, ( <i>La Fresn.</i> )	ibid.	979	MEGALURUS. Horsf.		
albilatera, <i>La Fresn.</i>	Bolivia	1121	palustris, <i>Horsf.</i>	Java	271
DENDROCOLAPTES. Herm.			RHAMPHOCOENUS. Viell.		
cayanensis, ( <i>Gm.</i> )	Guyan. Brasil.	611	melanurus, <i>Viell.</i>	Brasil.	256
decumanus, <i>Spix.</i>	ibid.	975	TROGLODYTES. Viell.		
angustirostris, <i>Viell.</i>	ibid.	535	europæus, <i>Cuv.</i>	Europa	277
tenuirostris, <i>Spix.</i>	ibid.	976	furva, <i>Viell.</i>	Amer. mer.	523
SITTASOMUS. Swains.			SALICARIA. Selby.		
syliellus, ( <i>Tem.</i> )	Brasil.	977	phragmitis, ( <i>Bechst.</i> )	Eur. mer.	247
CERTHIA. L.			aquatica, ( <i>Lath.</i> )	ibid.	554
familiaris, L.	Europa	983	melanopogon, ( <i>Tem.</i> )	ibid.	250
TICHODROMA. Illig.			Cettii, ( <i>La Marmora</i> )	ibid.	243
muraria, ( <i>L.</i> )	Europa	984	locustella, ( <i>Lath.</i> )	Europa	254
SITTELLA. Swains.			luscinioides, ( <i>Savi</i> )	Italia	241
chrysoptera, ( <i>Lath.</i> )	N. Holland.	781	palustris, ( <i>Bechst.</i> )	Eur. mer.	604
SITTA. L.			arundinacea, ( <i>Lath.</i> )	ibid.	551
Europæa, L.	Europa	985	turdoides, ( <i>Meyer.</i> )	ibid.	242
melanocephala, <i>Viell.</i>	Amer. septent.	986	? chivi, ( <i>Viell.</i> )	Amer. mer.	252
syriaca, <i>Ehrhm.</i>	As. occ. Eur. m.	637			
velata, <i>Tem.</i>	Java	826			

	Patria	Num. in Catal.		Patria	Num. in Catal.
(HIPPOLAIS. Brehm.)			SIALIA. Swains.		
hippolais. <i>L.</i>	Europa	259	Wilsonii. <i>Swains.</i>	Amer. sept.	226
italica. <i>De Fil.</i> (4)	Eur. mer. <i>Italia</i>	1122	SAXICOLA. Bechst.		
SYLVIA. Lath.			ænanthe. ( <i>L.</i> ) m. f.	Eur. As. occ. Af. s.	294
nisoria. <i>Bechst.</i>	Eur. orient.	598	stapazina. ( <i>L.</i> )	Eur. mer. Af. s.	297
hortensis. <i>Gmel.</i>	Europa	222	leucomela. ( <i>Pall.</i> )	Rossia mer.	607
atricapilla. <i>L.</i> m. f.	ibid.	223	Jardinii. <i>Vig. et Horsf.</i>	N. Hollandia	552
orphoea. <i>Tem.</i>	Eur. mer.	224	aurita. <i>Tem.</i>	Eur. mer. Af. s.	298
curruca. <i>Lath.</i>	Europa	245	cachinnans. <i>Tem.</i>	Eur. mer. Af. s.	269
subalpina. <i>Bon.</i>	Eur. mer.	596	isabellina. <i>Rüpp.</i>	Nub. Abyssin.	293
melanocephala. ( <i>Gmel.</i> )	ibid.	239	(CAMPICOLA. Swains.)		
cinerea. <i>Lath.</i>	Europa	240	pileata. ( <i>Gmel.</i> )	Afr. austr.	275
conspicillata. <i>LaMarmorata</i>	Eur. mer.	244	(PRATINCOLA. Koch.)		
(LUSCICOLA. Keys. et Blas.)			rubetra. ( <i>L.</i> )	Europa	292
luscini. ( <i>Lin.</i> )	Europa	253	rubicola. ( <i>L.</i> )	Europa Africa	291
philomela. <i>Bechst.</i>	Eur. orient.	625	LICHENOPS. Comm.		
rubecula. ( <i>Lin.</i> )	Europa	987	perspicillata. ( <i>Gmel.</i> )	Amer. mer.	273
PHYLLOSCOPUS. Boie.			THAMNOBIA. Swains.		
trochilus. ( <i>L.</i> )	Eur. Afr. sept.	248	fulcata. ( <i>L.</i> )	Insul. philip.	274
Bonellii. ( <i>Vicell.</i> )	Eur. mer.	249	Rüppellii. <i>De Fil.</i>	Afr. austr.	196
silvicola. ( <i>Lath.</i> )	Europa	261	(Saxicola alboscapulata. <i>Rüpp.</i> )		
rufus. ( <i>Lath.</i> )	ibid.	255	HYLOPHILUS. Tem.		
REGULUS. Cuv.			flaviventris. ( <i>Kuhl.</i> )	Insul. Sond.	818
{ vulgaris. <i>Steph.</i>	Europa	231	ACCENTOR. Bechst.		
(Motacilla regulus. <i>L.</i> )			alpinus. ( <i>Gmel.</i> )	Alp. Europæ	230
ignicapillus. ( <i>Brhm.</i> )	ibid.	988	modularis. ( <i>L.</i> )	Europa	229
(CYANOTIS. Swains.)			TRICHAS. Swains.		
omnicolor. ( <i>Vicell.</i> )	Amer. mer.	257	marylandica. ( <i>Briss.</i> )	Amer. sept.	290
PHOENICURA. Swains.			velata. ( <i>Vicell.</i> )	Amer. mer.	288
{ ruticilla.	Eur. Afr. sept.	227	JORA. Horsf.		
(Mot. phœnicura. <i>L.</i> )			scapularis. <i>Horsf.</i>	Java	989
thitys. ( <i>Scop.</i> )	ibid.	228	ceylonica. ( <i>Gmel.</i> )	Ceylan	524
erythrogastra. ( <i>Göldenst.</i> )	As. occid.	553	CALAMOPHILUS. Leach.		
PANDICILLA. Blyth.			biarmicus. ( <i>L.</i> )	Europa	286
(Cyanecula. <i>Briss.</i> )			ÆGITHALUS. Vig.		
suecica. <i>L.</i>	Europa	225	pendulinus. ( <i>L.</i> )	Europa orient.	285
cærulecula. ( <i>Pall.</i> )	Eur. orient. Asia.	601			
{ familiaris. (5)	Eur. orient. mer.	600			
(Sylvia familiaris. <i>Menétr.</i> )					

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>PARUS. L.</b>			<b>ANTHUS. Bechst.</b>		
major. <i>L.</i>	Europa	295	aquaticus. <i>Bechst.</i>	Eur. temp. et m.	236
cæruleus. <i>L.</i>	ibid.	994	{ rupestris. <i>Nilss.</i>	Eur. sept.	233
lugubris. <i>Natter.</i>	Eur. mer.	609	( <i>A. littoralis. Brehm.</i> )		
bicolor. <i>L.</i>	Amer. bor.	608	rufogularis. <i>Brehm</i>	Eur. mer.	385
ater. <i>L.</i>	Europa	296	campestris. <i>Bechst.</i>	Eur. med. et m.	235
palustris. <i>L.</i>	ibid.	283	pratensis. ( <i>L.</i> )	Europa	238
cristatus. <i>L.</i>	ibid.	284	arboreus. <i>Bechst.</i>	ibid.	237
			australis. <i>Viell.</i>	N. Seeland.	491
<b>ORITES. Mehr.</b>			rufulus. <i>Viell.</i>	Ind. orient.	234
caudatus. ( <i>L.</i> )	Europa	995	( <i>CORYDALLA. Vig.</i> )		
<b>TYRANNULUS. Viell.</b>			Richardii. <i>Viell.</i>	Eur. As. occ.	232
elatus. ( <i>Lath.</i> )	Amer. mer.	623			
<b>PSALTRIA. Tem.</b>			<b>Fam. II. TURDIDÆ</b>		
exilis. <i>Tem.</i>	Insul. Sond.	762	( <i>G. Turdus et Oriolus. L.</i> )		
<b>SYLVICOLA. Swains.</b>			<b>DASYCEPHALA. Swains.</b>		
coronata. ( <i>L.</i> )	Amer. sept.	520	cinerea. ( <i>Gmel.</i> )	Amer. mer.	108
{ martinicana. ( <i>Briss.</i> )	Amer. mer.	287	<b>PITHYS. Viell.</b>		
( <i>Sylvia ruficapilla. Lath. non Viell.</i> )			albifrons. ( <i>L.</i> )	ibid.	313
<b>HELINAIA. Audub.</b>			<b>FORMICIVORA. Swains.</b>		
vermivora. ( <i>Lath.</i> )	Amer. mer.	996	rufa. <i>Ménér.</i>	Brasilia	173
<b>ZOSTEROPS. Vig. et Horsf.</b>			Génei. <i>De Fil. (6)</i>	ibid.?	998
palpebrosa. ( <i>Tem.</i> )	Insul. Sond.	763	leucopus. ( <i>Swains.</i> )	ibid.	168
<b>MOTACILLA. L.</b>			variegata. <i>Licht.</i>	ibid.	171
boarula. ( <i>L.</i> )	Eur. med. et m.		striolata. ( <i>Ménér.</i> )	ibid.	651
	Afr. sept.	279	striata. ( <i>Spix</i> )	ibid.	170
{ alba. <i>L.</i>	Europa	278	<b>DRYMOPHILA. Swains.</b>		
bab. vern. et hyem.			trifasciata. <i>Swains.</i>	Brasilia	169
<b>BUDYTES. Cuv.</b>			cirrhat. ( <i>Lath.</i> )	ibid.	172
{ flava. ( <i>L.</i> )	Europa		<b>FORMICARIUS. Bodd.</b>		
var. cinereocapilla.	Italia	280	cayanensis. <i>Bodd.</i>	Amer. mer.	595
var. melanocephala.	Dalm. Afr. sept.		<b>GRALLARIA. Viell.</b>		
flaveola. <i>Gould</i>	Anglia	281	ruficapilla. <i>La Fresn.</i>	Bolivia	180
<b>ENICURUS. Tem.</b>			marginata. ( <i>Pr. Max.</i> )	Brasilia	175
Leschenaultii. ( <i>Viell.</i> )	Insul. Sond.	756	<b>PITTA. Viell.</b>		
velatus. <i>Tem.</i>	ibid.	757	glaucina. <i>Tem.</i>	Ind. orient.	185
<b>NOTODELA. Less.</b>			erythrogastra? <i>Tem.</i>	ibid.	181
Diana. <i>Less.</i>	Ind. orient.	764	<b>MYIOPHONEUS. Tem.</b>		
			flavirostris. <i>Hersf.</i>	Insul. Sond.	786

	Patria	Num. in Catal.		Patria	Num. in Catal.
CINCLUS. Bechst.			GARRULAX. Less.		
aquaticus. <i>Bechst.</i>	Europa	174	perspicillatus. ( <i>Gmel.</i> )	Ind. orient.	206
PETROCINCLA. Vig.			vittatus. <i>De Fil.</i> (8)	ibid. ?	993
saxatilis. ( <i>L.</i> )	Eur. mer.	1000	TIMALIA. Horsf.		
rupestris. ( <i>Le Vaill.</i> )	Afr. austr.	194	pileata. <i>Horsf.</i>	Java	992
cyanea. ( <i>L.</i> )	Eur. mer.	202	thoracica. <i>Tem.</i>	ibid.	772
manillensis? ( <i>Lath.</i> )	Insul. Sond.	770	? lepidocephala. <i>Boie</i>	ibid.	774
BESSONORNIS. Smith			POMATORHINUS. Horsf.		
{ pectoralis.	Afr. austr.	264	montanus. <i>Horsf.</i>	Java	1001
( <i>Turdus phænicurus. Auct.</i> )					
( <i>Motacilla pectoralis. Shaw.</i> )					
TURDUS. L.			TURNAGRA. Less.		
a. TURDI GENUINI.			crassirostris. <i>Lath.</i>	N. Seeland.	519
musicus. <i>L.</i>	Europa	1002	ORIOIUS. Lin.		
iliacus. <i>L.</i>	ibid.	207	galbula. <i>L.</i>	Europa	189
solitarius. <i>Hills.</i>	Amer. sept.	617	auratus. <i>Viell.</i>	Afr. austr.	191
atroregularis. <i>Glog. juv.</i>	Asia occ. Eur.	614	viridis. <i>Viell.</i>	N. Holland.	190
migratorius. <i>L.</i>	Amer. sept. Eur.	195	chinensis. <i>Gmel.</i>	Ind. orient.	186
viscivorus. <i>L.</i>	Europa	1003	coronatus. <i>Swains?</i>	?	999
pilaris. <i>L.</i>	ibid.	1004	larvatus. <i>Licht.</i>	Afr. austr.	187
{ olivaceus. <i>Lath.</i> (7)	Afr. austr.	211	xanthonotus. <i>Horsf.</i>	Java	188
( <i>non d' Orb et La Fresn.</i> )			ANALCIPUS. Swains.		
citrinus. <i>Tem.</i>	Java	197	sanguinolentus. ( <i>Tem.</i> )	Insul. Sond.	784
chochi. <i>Viell.</i>	Amer. mer.	540	SERICULUS. Swains.		
albicollis. <i>Viell.</i>	ibid.	205	chrysocephalus. ( <i>Lewin</i> )	N. Holland.	997
gujanensis. <i>L.</i>	ibid.	192	MICROSCELIS. G. R. Gray		
plumbeus. <i>L.</i>	Amer. sept.	1037	amaurotis. ( <i>Tem.</i> )	Japon.	199
albiventer. <i>Spix</i>	Amer. mer.	209	ochrocephalus. ( <i>L.</i> )	Insul. Sond.	201
fumigatus. <i>Horsf.</i>	Java	785	COPSYCHUS. Wagl.		
b. MERULAE.			sularis. ( <i>L.</i> )	Ind. orient.	204
merula. <i>L.</i>	Europa	1005	macrourus. ( <i>L.</i> )	ibid.	198
torquatus. <i>L.</i>	ibid.	200	IXOS. Tem.		
fuscoater. <i>D' Orb et La Fresn.</i>	Amer. mer.	1038	obscurus. <i>Tem.</i>	Hispan. Afr. occ.	183
ORPHEUS. Swains.			cafer. ( <i>L.</i> )	Afr. austr.	179
calandria. <i>D' Orb et La Fresn.</i>	Amer. sept.	193	crocorrhous. <i>Strickl.</i>	ibid.	584
carolinensis. ( <i>L.</i> )	ibid.	515	chrysorrhæus. <i>Tem.</i>	Ind. orient.	783
rufus. ( <i>L.</i> )	ibid.	626	jocosus. ( <i>L.</i> )	ibid.	483
DONACOBUS. Swains.			bimaculatus. ( <i>Less.</i> )	ibid.	178
vociferans. <i>Swains.</i>	Amer. mer.	208	occipitalis. <i>Tem.</i>	ibid.	991
CRATEROPUS. Swains.			atriceps. <i>Tem.</i>	ibid.	787
leucocephalus. ( <i>Rüpp.</i> )	Africa	184	dispar. <i>Tem.</i>	ibid.	770
griseiceps. ( <i>Deless.</i> )	Ind. orient.	182			
{ Rüppellii.	Arabia	270			
( <i>Argya Rüppellii. Less.</i> )					
( <i>Malurus squamiceps. Rüpp.</i> )					

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>TRICHOPIHORUS.</b> Tem.			<b>PLATYSTERA.</b> Jard. et Selb.		
<i>gularis.</i> Swains.	Insul. Sond.	773	<i>collaris.</i> Desm.	Afr. austr.	276
<b>MUSCICAPIDÆ</b>			<b>PLATYRHYNCHUS.</b> Desm.		
( <i>G. Muscicapa.</i> L.)			<i>cancromus.</i> Tem.	Brasil. Guyan.	753
<b>TAENIOPTERA.</b> Bonap.			<b>CONOPOPHAGA.</b> Viell.		
<i>nengeta.</i> (L.)	Amer. mer.	117	<i>leucotis.</i> Gmel.	Brasilia	177
<b>ARUNDINICOLA.</b> D'Orb. et La Fres.			<i>nigrogenys.</i> Less.	ibid.	176
( <i>G. R. Gray</i> )			<b>MUSCIVORA.</b> Cuv.		
{ <i>leucocephala.</i> (Pall.)	Amer. mer.	135	<i>regia.</i> Gmel.	Brasilia	100
( <i>Muscicapa dominicana.</i> Spix)			<b>TCHITREA.</b> Less.		
{ <i>albogrisea.</i>	ibid.	107	<i>paradisii.</i> (L.)	Afr. austr.	101
( <i>Musc. dominicana.</i> Licht)			<b>MONARCHA.</b> Vig. et Horsf.		
( <i>Tyrannus albogriseus.</i> Less.)			{ <i>velata.</i>	Insul. Sond.	103
<b>SCAPHORHYNCHUS.</b> Pr. Max.			( <i>Drymophila velata.</i> Tem.)		
<i>pitangua.</i> (L.)	Brasilia	1008	<b>RHIPIDURA.</b> Vig. et Horsf.		
<b>TYRANNUS.</b> Cuv.			<i>javanica.</i> Kuhl	Java	819
<i>sulphuratus.</i> (L.)	Amer. mer.	109	<i>philippensis.</i> (L.)	Philippinæ Ins.	104
<i>melancholicus.</i> Viell.	ibid.	116	<b>COPURUS.</b> Strickl.		
<i>vociferans.</i> Swains.	ibid.	163	<i>leucocilla.</i> (Hahn) (10)	Amer. mer.	102
<i>ferox.</i> Viell.	ibid.	164	<b>MUSCICAPA.</b> Lin.		
<i>rixosus.</i> Viell.	ibid.	113	<i>grisola.</i> L.	Europa	220
<i>olivaceus.</i> (Tem.)	ibid.	123	<i>atricapilla.</i> L.	ibid.	134
<i>audax.</i> Viell.	ibid.	115	<i>albicollis.</i> Tem.	Eur. mer. et med.	1006
<b>MILVULUS.</b> Swains.			<i>parva.</i> Bechst.	Eur. mer. As. oc.	130
<i>savanus.</i> (Viell.)	Amer. mer.	114	<i>galeata.</i> Spix	Amer. mer.	132
<b>MYIOBIUS.</b> G. R. Gray			<i>nigerrima.</i> Spix	ibid.	131
<i>xanthopygius.</i> (Spix)	Brasilia	124	{ <i>genibarbis.</i>	ibid.	594
<b>MYIARCHUS.</b> Cabanis			( <i>Myiadestes genibarbis.</i> Swains.)		
<i>ferrugineus.</i> (L.)	Amer. mer.	627	<i>hirundinacea.</i> Horsf.	Java	129
<i>cinereus.</i> (Spix)	ibid.	122	<i>cantatrix.</i> f. Tem.	ibid.	133
<b>PYROCEPHALUS.</b> Gould			<b>SETOPHAGA.</b> Swains.		
<i>coronatus.</i> (Gmel.)	Amer. mer.	106	<i>ruticilla.</i> (L.)	Amer. sept.	322
<b>TITYRA.</b> Viell.			<i>canadensis.</i> (L.)	ibid.	472
<i>cayana.</i> (L.)	Brasil. Guyan.	127	<i>verticalis.</i> D'Orb. et LaFr.	Bolivia	1123
<i>rufa.</i> Viell.	ibid.	110	<b>ELÆNIA.</b> Sundew.		
<b>PACHYRAMPHUS.</b> G. R. Gray			<i>eximia.</i> (Tem.)	Brasilia	633
<i>marginatus.</i> (Licht.)	Bolivia	111			
<i>dimidiatus.</i> De Fil. (9)	ibid ?	990			

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>VIREO.</b> Viell.			<b>TERSINA.</b> Viell.		
noveboracensis. (Gmel.) var.	Amer. sept.	635	ventralis. Illig.	Brasilia	315
<b>Fam. IV. AMPELIDÆ</b>			<b>RUPICOLA.</b> Briss.		
(G. <i>Ampelis</i> , <i>Lanius</i> part. etc.)			aurantia. Viell.	Cajenna	307
<b>PTERUTHIUS.</b> Swains.			peruviana. Dumont	Perù	510
flaviscapis. Tem.	Ind. orient.	749	<b>CALYPTOMENA.</b> Raffl.		
<b>PACHYCEPHALA.</b> Swains.			viridis. Raffl.	Java et Sumatra	308
gutturalis. Lath.	Ind. orient.	1010	<b>EUCHLORNIS.</b> De Fil. (12)		
<b>PTILOCHLORIS.</b> Swains.			{ Riefferii.	Columbia	1011
arcuatus. Cuv.	Brasilia	547	(Ampelis Riefferii. Boiss.)		
<b>PARDALOTUS.</b> Viell.			<b>PROCNIAS.</b> Hoffm.		
punctatus. Lath.	N. Holland.	1022	variegatus. (Gmel.)	Brasilia	321
pipra. Less.	Ind. orient.	1021	nudicollis. (Tem.)	ibid.	320
<b>CALYPTURA.</b> Swains.			<b>COTINGA.</b> Briss.		
cristata. Viell.	Amer. mer.	327	cœrulea. Viell.	Cajenn. Brasil.	314
<b>PIRA.</b> Lin.			cayana. (L.)	ibid.	319
aureola. L.	Amer. mer.	305	pompadora. (L.)	ibid.	317
gutturalis. L.	ibid.	389	<b>PTILOGONYS.</b> Swains.		
manacus. L.	ibid.	306	cinereus. Swains.	Amer. sept.	311
pareola. Gmel.	ibid.	300	<b>PERICROCOTUS.</b> Boie		
serena. L.	ibid.	424	miniatus. (Tem.)	Ind. orient.	768
erythrocephala. Gmel.	ibid.	303	flammeus. (Forst.)	ibid.	769
rubricapilla. Tem.	ibid.	304	<b>CEBLEPYRIS.</b> Cuv.		
rubrifrons. Viell.	ibid.	634	tricolor. Swains.	N. Holland.	538
strigillata. Tem.	ibid.	299	lugubris. Sundew.	Ind. orient.	167
Wiedii. Less.	ibid.	536	luctuosus. De Fil. (13)	?	219
caudata. Lath.	ibid.	301	<b>GRAUCALUS.</b> Cuv.		
<b>PHOENICERCUS.</b> Swains.			papuensis. (Gmel.)	N. Holland.	166
carnifex. (L.)	Cajenna	312	novæ Guineæ. (Gmel.)	ibid.	165
<b>PHIBALURA.</b> Viell.			torquatus. De Fil. (14)	?	218
flavirostris. Full.	Brasilia	309	<b>LIPANGUS.</b> Boie.		
<b>AMPELIS.</b> Lin.			plumbeus. Licht.	Amer. mer.	669
garrulus. L.	Asia sept. Eur.	310	<b>QUERULA.</b> Viell.		
<b>HELIOCHERA.</b> De Fil. (11)			rubricollis. (Gmel.)	ibid.	318
{ rubrocristata.	Brasilia	671	scutata. (Lath.)	ibid.	316
(Ampelis rubrocristata.			<b>GYMNOCEPHALUS.</b> Geoffr.		
D'Orb. et La Fr.)			calvus. Gmel.	Gujana	324



	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>ARTAMUS. Viell.</b>			<b>TELEPHORUS. Swains.</b>		
leucorhynchus. <i>Viell.</i>	Luçon. N. Caled.	546	baebakiri. ( <i>Shaw</i> )	Afr. austr.	154
fuscus. <i>Viell.</i>	Ind. orient.	126	erythropterus. ( <i>Shaw</i> )	Afr. Eur. mer.	156
albivittatus. <i>Cuv.</i>	N. Holland.	125	( <i>NILAÜS. Swains.</i> )		
<b>DICRURUS. Viell.</b>			brubru. <i>Lath.</i>	Afr. austr.	146
musicus. <i>Viell.</i>	Afr. austr.	136	<b>PRIONOPS. Viell.</b>		
cærulescens. ( <i>L.</i> )	Ind. orient.	139	plumatus. ( <i>Shaw</i> )	Africa	151
leucophæus. <i>Viell.</i>	ibid.	973	<b>THAMNOPHILUS. Viell.</b>		
macroceros. <i>Viell.</i>	ibid.	974	doliatus. ( <i>L.</i> )	Brasilia	158
paradiseus. ( <i>L.</i> ) •	ibid.	137	undulatus. <i>Mikan</i>	ibid.	157
remifer. <i>Tem.</i>	ibid.	138	palliatu. ( <i>Licht.</i> )	ibid.	160
<b>IRENA. Horsf.</b>			severus. ( <i>Licht.</i> )	ibid.	162
puella. ( <i>Lath.</i> )	Insul. Sond.	140	stagurus. ( <i>Licht.</i> )	ibid.	323
<b>Fam. V. LANIDÆ</b>			luctuosus. ( <i>Licht.</i> )	ibid.	161
( <i>G. Lanius. L.</i> )			rutilus. <i>Viell.</i>	ibid.	613
<b>CORVINELLA. Less.</b>			strictothorax. ( <i>Tem.</i> )	ibid.	159
corvina. <i>Shaw</i>	Afr. austr.	144	Janii. <i>De Fil.</i> (17)	ibid. ?	1029
<b>LANIUS. Lin.</b>			<b>LANIARIUS. Viell.</b>		
{ excubitor. <i>L.</i> (15)	Europa	141	barbarus. ( <i>L.</i> )	Afr. austr.	153
et var.			{ id. — juv. ?	. . .	152
meridionalis. <i>Tem.</i>	Eur. mer.	1027	( <i>Lanius erythrogaster. Rüpp.</i> )		
minor. <i>Gmel.</i>	Eur. mer. et med.	142	æthiopicus. ( <i>Shaw</i> )	ibid.	149
strigatus. <i>Eyt.</i>	Ind. orient.	150	virgatus. ( <i>Tem.</i> )	Java	814
collaris. <i>Gmel.</i>	Afr. austr.	148	<b>CRATICUS. Viell.</b>		
( <i>COLLURIO. Briss.</i> )			cinereus. ( <i>Gould</i> )	N. Holland.	371
collurio. <i>L.</i>	Eur. temp. et m.	624	<b>Trib. IV. Conirostres.</b>		
rufus. <i>Briss.</i>	ibid.	143	<b>Fam. I. CORVIDÆ</b>		
pyrrhonotus. <i>Viell.</i>	Ind. orient.	145	( <i>G. Corvus. L.</i> )		
vittatus. <i>Valenc.</i>	ibid.	147	<b>STREPERA. Less.</b>		
jeracopis. <i>De Fil.</i> (16)	ibid.	1028	{ graculina. ( <i>White.</i> )	N. Holland.	464
<b>FALCUNCULUS. Viell.</b>			( <i>Gracula strepera. Shaw</i> )		
frontatus. ( <i>Lath.</i> )	N. Holland.	1116	<b>LOPHOCITTA. G. R. Gray</b>		
<b>CYCLORHIS. Swains.</b>			galericulata. ( <i>Cuv.</i> )	Java - Sumatra	451
gujanensis. ( <i>Gmel.</i> )	Amer. mer.	128	<b>GARRULUS. Briss.<sup>99</sup></b>		
<b>CROCIAS. Tem.</b>			glandarius. ( <i>L.</i> )	Europa	{ 453
guttatus. <i>Tem.</i>	Ind. orient.	823	id. — var. ? (18)	?	
			bispecularis. <i>Vig.</i>	Ind. orient.	1014
			lanceolatus. <i>Vig.</i>	ibid.	171

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>CYANOCORAX.</b> Boie.			<b>PTILORIS.</b> Swains.		
cristatus. (L.)	Amer. sept.	461	paradisea. Swains.	N. Galles austr.	746
Bullockii. (Wagl.)	Mexicum	576	magnifica.	N. Guinea	470
azureus. (Tem.)	Brasilia	477	(Falcinellus magnificus. Viell.)		
melanocyaneus. Hartl.	Perù	1017	<b>PAROTIA.</b> Viell.		
cyanopogon. (Pr. Max.)	Brasilia	460	sexsetacea. (Lath.)	N. Guin.	744
pileatus. (Tem.)	ibid.	1032	<b>SELEUCIDES.</b> Less.		
cayanus. (L.)	Guyana	456	albus. (Blum.)	N. Guin.	468
<b>PSILORHINUS.</b> Rüpp.			(Falcinellus resplendescens Viell.)		
erythrorhynchus. (Viell.)	Ind. or. China	1033	<b>PARADISEA.</b> L.		
(Cuculus sinensis. Lin.)			major. Shaw	N. Guin.	466
olivaceus. (Lath.)	Ind. or. N. Holl.	459	minor. Shaw	ibid.	1030
Pica gularis. Wagl.)			rubra. Viell.	ibid.	1031
<b>CRYPsirina.</b> Viell.			<b>CICINNURUS.</b> Viell.		
varians. (Lath.)	Java	489	regius. (L.)	N. Guin.	467
<b>CALLEAS.</b> Forst.			<b>DIPHYLLODES.</b> Less.		
cinerea. Forst.	N. Seeland.	463	magnificus. Gmel.	N. Guin.	469
<b>PTILOSTOMUS.</b> Swains.			<b>STURNIDÆ</b>		
senegalensis. (L.)	Afr. austr.	457	(G. Sturnus et Oriolus part. L.)		
<b>DENDROCITTA.</b> Gould			<b>PTILONORHYNCHUS.</b> Kuhl.		
chinensis. I. E. Gray	Ind. orient.	458	holosericus. Tem.	N. Galles. mer.	462
occipitalis. (Müll.)	ibid.	742	albirostris. Rüpp.	Afr. austr.	1036
<b>PICA.</b> Briss.			<b>LAMPROTORNIS.</b> Tem.		
melanoleuca. Viell.	Europa As. sept.	491	cantor. (Gmel.)	Ind. orient.	488
id. var. indica			leucogaster. (Gmel.)	Afr. austr.	487
(Pica bottanensis. Deless?)			nitens. (Gmel.)	ibid.	1065
<b>NUCIFRAGA.</b> Briss.			dominicanus. Tem.	Ind. orient.	765
caryocatactes. (L.)	Eur. sep. et med.	1034	(SPREO. Less.)		
hemispila. Gould	Ind. orient.	564	rufiventris. Rüpp.	Afr. austr.	486
<b>CORVUS.</b> Lin.			morio. (Gmel.)	ibid.	1064
corax. L.	Eur. As. bor.	857	<b>JUIDA.</b> Less.		
corone. L.	ibid.	492	anea. (Gmel.)	Afr. austr.	1066
scapulatus. Daud.	Africa	476	<b>MINO.</b> Less.		
frugilegus. L.	Europa	1035	calvus. (L.)	Philipp. Insul.	1061
cornix. L.	ibid.	471			
monedula. L.	ibid.	465			
<b>PYRRHOCORAX.</b> Viell.					
alpinus. Viell.	Eur. mer.	210			
<b>FREGILUS.</b> Cuv.					
graculus. (L.)	Eur. As. sept.	473			

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>MAINATUS.</b> Briss.			<b>CHRYSOMUS.</b> Swains.		
<i>javanus.</i> Less.	Java	482	<i>icterocephalus.</i> (L.)	Brasil. Cajen.	1048
( <i>Gracula religiosa.</i> L.)			<i>frontalis.</i> (Viell.)	<i>ibid.</i>	485
<i>sumatranus.</i> Less.	Sumatra	472	<b>AGELAIUS.</b> Viell.		
( <i>Gracula religiosa.</i> var. $\beta$ L.)			<i>phænicæus.</i> (L.)	Amer. sept.	1044
<b>BUPHAGA.</b> Lin.			<i>curæus.</i> (Gmel.)	Brasilia	1046
<i>africana.</i> L.	Afr. austr.	481	( <i>Icterus sulcirostris.</i> Spix)		
<i>erythrorhyncha.</i> Tem.	Afr. sept. et or.	1067	<i>guirahuro.</i> Viell.	<i>ibid.</i>	1045
<b>PASTOR.</b> Tem.			( <i>Oriolus viridis.</i> Gmel.)		
<i>roseus.</i> (L.)	Eur. mer.	1060	<i>militaris.</i> (L.)	<i>ibid.</i>	1047
<i>cristatella.</i> (L.)	Java - China	1059	<b>MOLOTHRUS.</b> Swains.		
<i>pagodarum.</i> (L.)	Ind. orient.	1057	<i>pecoris.</i> (Gmel.)	Amer. sept.	1042
<i>Jalla.</i> Horsf.	Java	1058	<i>bonariensis.</i> (Gmel.)	Amer. mer.	1043
<i>tricolor.</i> Horsf.	<i>ibid.</i>	788	<b>DOLICHONYX.</b> Swains.		
<b>CREADION.</b> Viell.			<i>oryzivora.</i> (L.)	Amer. sept.	396
<i>pharoides.</i> Viell.	N. Seeland.	924	<b>FRINGILLIDÆ</b>		
<b>STURNUS.</b> Lin.			( <i>G. Fringilla: Emberiza: Loxia:</i>		
<i>vulgaris.</i> L.	Europa	1063	et <i>Tanagra.</i> L.)		
<i>unicolor.</i> (La Marm.)	Sardinia. N. Afr.	1062	<b>PLOCEUS.</b> Cuv.		
<b>STURNELLA.</b> Viell.			<i>philippinus.</i> (L.)	Ind. orient.	406
<i>militaris.</i> (L.)	Paraguay	1055	<i>afer.</i> (Gmel.)	Afr. austr.	639
<i>bellicosa.</i> De Fil. (19)	Amer. trop. occ.	494	<i>capensis.</i> (L.)	<i>ibid.</i>	427
<i>ludoviciana.</i> (L.)	Amer. sept. et m.	1056	<i>oryx.</i> (L.)	<i>ibid.</i>	441
<b>QUISCALUS.</b> Viell.			<i>flavicollis.</i> (Fras.)?	Ind. orient.	1070
<i>versicolor.</i> Viell.	Amer. mer.	484	<i>sanguinirostris.</i> (L.)	Afr. austr.	667
<b>CASSICUS.</b> Briss.			( <i>HYPHANTORNIS.</i> G. R. Gray)		
<i>hæmorrhous.</i> (L.)	Brasil. Cajen.	1054	<i>textor.</i> (Gmel.)	<i>ibid.</i>	543
<i>luteus.</i> (Briss.)	<i>ibid.</i>	1053	<i>gutturalis.</i> (Vig.)	<i>ibid.</i>	640
<i>viridis.</i> Viell.	<i>ibid.</i>	1051	( <i>SYCOBIUS.</i> Viell.)		
<i>cristatus.</i> (L.)	<i>ibid.</i>	493	<i>bicolor.</i> Viell.	<i>ibid.</i>	641
<i>albirostris.</i> Viell.	Paraguay	1052	<b>CARDINALIS.</b> Bonap.		
<i>ater.</i> Viell.	<i>ibid.</i>	490	<i>virginianus.</i> Bp.	Amer. sept.	417
<b>XANTHORUS.</b> Briss.			<b>COCCOTHAUSTES.</b> Briss.		
<i>cayanensis.</i> (L.)	Brasil. Cajen.	1039	<i>vulgaris.</i> Ray	Europa	428
<i>tibialis.</i> Swains?	<i>ibid.</i>	1040	<b>GUIRACA.</b> Swains.		
<i>chrysocarpus.</i> Vig.?	<i>ibid.</i>	1041	<i>cærulea.</i> (L.)	Amer. sept.	446
<i>dominicensis.</i> (L.)	S. Domin. insul.	592			
<i>aurantius.</i> Wagl. (Hahn)	Cajenna	534			
( <i>Oriolus icterus.</i> Auct.)					
<b>ICTERUS.</b> Briss.					
<i>mexicanus.</i> (L.)	Amer. tropic.	1050			
<i>xanthornus.</i> (L.)	Amer. mer.	1049			

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>VIDUA.</b> Cuv.			<b>RAMPHOPIS.</b> Viell.		
serena. (L.)	Africa	391	jacapa. (L.)	Brasilia	354
paradisæa. (L.)	ibid.	382	brasilia. (L.)	ibid.	355
			dimidiatus. <i>La Fresn.</i>	Amer. trop.	356
<b>CATAMBYRHYNCHUS.</b> La Fresn.			<b>PYRANGA.</b> Viell.		
diadema. <i>La Fresn.</i>	Amer. trop. occ.	885	rubra. (L.)	Amer. sept.	347
<b>EMBERYZOIDES.</b> Tem.			<b>LANIO.</b> Viell.		
macroura. (Gmel.)	Brasilia	384	atricapillus. (Gmel.)	Cajenna	155
<b>PIPILO.</b> Viell.			<b>NEMOSIA.</b> Viell.		
erythrophthalmos. (L.)	Amer. sept.	357	pilcata. (Gmel.)	Amer. mer.	594
<b>ARREMON.</b> Viell.			gularis. (L.)	ibid.	331
torquatus. <i>Viell.</i>	Amer. mer.	1115	flavicollis. <i>Viell.</i>	ibid.	333
silens. (Lath.)	ibid.	1124	nigricollis. (Gmel.)	ibid.	619
platensis. (Gmel.)	ibid.	392	(Sylvia guira. <i>Lath.</i> )		
<b>CISSOPIS.</b> Viell.			ruficapilla.	ibid.	289
Leverianus. ( <i>Shaw</i> )	Brasilia	431	(Sylvia ruficapilla. <i>Viell.</i> )		
<b>PITYLUS.</b> Cuv.			(CYPSNAGRA. Less.)		
canadensis. (L.)	Amer. sept.	418	ruficollis. ( <i>Licht.</i> )	ibid.	618
cyaneus. (Gmel.)	Amer. mer.	413	<b>TACHYPHONUS.</b> Viell.		
torridus. (L.)	ibid.	425	coryphæus. ( <i>Licht.</i> )	Brasilia	649
<b>TANAGRA.</b> Lin.			Suchii. <i>Swains.</i>	ibid.	360
episcopus. L.	Brasilia	335	cristatus. (L.)	ibid.	362
archiepiscopus. ( <i>Dcsm.</i> )	ibid.	337	cristatellus. ( <i>Spix</i> )	ibid.	363
glauca. <i>Sparrm.</i>	ibid.	653	<b>AGLAIA.</b> Swains.		
(T. celestis. <i>Spix</i> )			elegans. ( <i>Pr. Max.</i> )	Brasil. Cajen.	647
melanopis. <i>Lath.</i>	ibid.	462	Schrankii. ( <i>Spix</i> )	ibid.	646
striata. <i>Gmel.</i>	Paraguay	482	thoracica. ( <i>Tem.</i> )	ibid.	648
montana. <i>D'Orb. et La Fresn.</i>	Bolivia	1026	tricolor. (Gmel.)	ibid.	334
eximia. <i>Boiss.</i>	ibid.	912	festiva. ( <i>Shaw</i> )	ibid.	342
(STEPHANOPHORUS. Strickl.)			gyrola. (L.)	ibid.	339
diademata. <i>Natter.</i>	Brasilia	348	punctata. (L.)	ibid.	345
(PROCNOPIS. Cabanis)			cayana. (L.)	ibid.	343
vittata. <i>Tem.</i>	ibid.	332	mexicana. (L.)	Antillæ	336
<b>SALTATOR.</b> Viell.			albiventris. <i>Gray</i>	Brasilia	340
magnum. (L.)	Brasil. Cajen.	350	tatao. (L.)	ibid.	341
virescens. <i>Viell.</i>	ibid.	351	flava. ( <i>Lath.</i> )	ibid.	344
psittacinus. ( <i>Spix</i> )	ibid.	352	(TANAGRELLA. Swains.)		
rubicus. <i>Viell.</i>	Bolivia	359	velia. (L.)	ibid.	338

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>EUPHONIA.</b> Desm.			<b>CHLOROSPIZA.</b> Bonap.		
musica. (Gmel)	Antillæ	302	chloris. (L.)	Europa	402
chlorotica. (L.)	ibid.	630	incerta. (Risso)	Eur. mer.	632
violacea. (L.)	Brasilia	328	<b>PASSER.</b> Briss.		
rufiventris. Viell.	ibid.	329	{ domesticus. (L.)	Eur. bor. et med.	432
tephrocephala. Viell.	ibid.	330	id. var. cisalpinus.	Italia	1075
			id. var. hispaniolensis.	Hisp. Ins. medit.	606
<b>ESTRELLA.</b> Swains.			montanus. (L.)	Europa	1076
astrild. (L.)	Afr. austr.	1077	petronia. (L.)	Eur. mer.	429
amandava. (L.)	Ind. orient.	436	arcuatus. (Gmel.)	Afr. mer.	415
bengalus. (L.)	Afr. occid.	435	Swainsonii. f. (Rüpp).	ibid.	416
nitens. (L.)	Afr. austr.	437	monticola. (Briss.)	ibid.	471
sublava. Viell.	ibid.	1078	socialis. (Wils.)	ibid.	467
			(ZONOTRICHIA. Swains)		
<b>AMADINA.</b> Swains.			albicollis. (Gmel.)	Amer. sept.	439
fasciata. (L.)	Afr. austr.	438	{ matutinus. Licht.	Amer. mer.	383
{ erythrocephala. Viell.	ibid.	1068	Fringilla matutina. Viell.		
(Loxia brasiliana. Gm.)					
Lathamii. Gould	N. Holland.	828	<b>PAROARIA.</b> Bonap.		
annulosa. Gould	ibid.	1069	cucullata. (Lath.)	Amer. trop.	652
oryzivora. (L.)	Java	433	<b>FRINGILLA.</b> Lin.		
punctularia. (L.)	Ind. orient.	444	caelebs. L.	Eur. As. occid.	430
cantans. (L.)	Afr. austr.	440	montifringilla. L.	ibid.	423
atricapilla. (Viell.)	Ind. orient.	443	nivalis. L.	Alp. Europ.	599
striata. (L.)	ibid.	445	<b>PASSERINA.</b> Viell.		
molucca. (L.)	ibid.	442	ciris. (Gmel.)	Amer. sept.	422
<b>ERYTHRURA.</b> Swains.			<b>EUSPIZA.</b> Bonap.		
prasinata. (Sparrm.)	Java	419	melanocephala. (Scop.)	Eur. merid.	312
<b>PYTELIA.</b> Swains.			americana. (L.)	Amer. mer.	390
elegans. (Gmel.)	Afr. austr.	1071	cristata. (Vig.)	Ind. orient.	542
<b>CARDUELIS.</b> Briss.			<b>GUBERNATRIX.</b> Less.		
{ elegans. Steph.	Eur. As. occ.	404	cristatella. (Viell.)	Amer. mer.	370
(Fringilla carduelis. L.)			<b>EMBERIZA.</b> Lin.		
citrinella. (L.)	Eur. mer.	405	citrinella. L.	Europa	1074
spinus. (L.)	Europa	1079	circus. L.	Eur. m. As. occ.	377
brasiliensis. (Spix)	Amer. mer.	412	hortulana. L.	ibid.	373
magellanica. (Viell.)	ibid.	411	cia. L.	Eur. mer.	376
(SERINUS. Brehm)			pithyornus. Pall.	Siberia. Eur. oc.	631
serinus. (L.)	Europa	421	schoeniculus. L.	Eur. As. occ.	375
<b>LINARIA.</b> Briss.			{ pyrrhuloides. Pallas.	Eur. mer.	374
{ rubra. Steph.	Eur. As. sept.	393	(E. palustris. Gari)		
(Fr. linaria. L.)			fucata. Pall.	Asia. Eur. mer.	381
cannabina. (L.)	Eur. As. occ.	388	miliaria. L.	Europa	378
flaviostris. (L.) f	Eur. sept.	395			

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>PLECTROPHANES.</b> Meyer			<b>LOXIA.</b> Lin.		
nivalis. (L.)	Europa bor.	379	curvirostra. L.	Eur. sept. et m.	414
lapponicus. (L.)	ibid.	380	pytiopsittacus. Bechst.	ibid.	629
<b>PYRRHULAUDA.</b> Smith			bifasciata. Brchm	Eur. bor.	681
leucotis. (Stanl.)	Afr. austr.	449	<b>PHYTOTOMA.</b> Molina		
<b>CERTHILAUDA.</b> Swains.			rutila. Viell.	Amer. mer.	426
{ desertorum. (Stanl.)	Afr. Eur. mer.	365	<b>Fam. V. MUSOPHAGIDÆ</b>		
{ (Alauda bifasciata. Licht.)			(G. Colius, Cuculus part. L. Gmel.)		
<b>MIRAFRA.</b> Horsf.			<b>COLIUS.</b> Briss.		
{ deserti. (Licht.)	Eur. m. Ægypt.	597	senegalensis. Gmel.	Afr. austr.	447
{ (Alauda isabellina. Tem.)			striatus. Gmel.	ibid.	448
<b>MACRONYX.</b> Swains.			<b>TURACUS.</b> Cuv.		
capensis. (L.)	Afr. austr.	366	{ albocristatus. Strickl.	Afr. austr.	1081
<b>MELANOCORYPHA.</b> Boie			{ (Spelectos corythaix. Wagl.)		
calandra. (L.)	Eur. m. Afr. sep.	368	porphyreolophus. (Vig.)	ibid.	747
<b>OTOCORIS.</b> Bonap.			<b>MUSOPHAGA.</b> Isert.		
alpestris. L.	Eur. or. As. occ.	355	violacea. Is.	Afr. austr.	606
<b>ALAUDA.</b> Lin.			<b>CHIZÆRIS.</b> Wagl.		
arvensis. L.	Eur. Afr. sept.		africanus. (Lath.)	Afr. austr.	1080
cristata. L.	As. occid.	369	zonurus. (Rüpp.)	ibid.	565
arborea. L.	ibid.	367	<b>Fam. VI. BUCERIDÆ</b>		
brachydactyla. Tem.	Eur. As. occid.	1073	(G. Buceros. L.)		
	Eur. m. Af. sept.	364	coronatus. Shaw	Africa	464
<b>ERYTHRINA.</b> Brehm.			plicatus. Lath.	ibid.	479
{ rubrifrons. Br.	Eur. or. Sibir.	401	malabaricus. Gmel.	Ind. orient.	779
{ (Loxia erythrina. Pall.)			lunatus. Tem.	ibid.	771
(STROBILOPHAGA. Viell.)			cristatus. Rüpp. non Viell.	Afr. (Abyssin.)	578
enucleator. (L.) m. f.	Reg. boreal.	420	(TOCRUS. Less.)		
<b>PYRRHULA.</b> Moehr.			erythrorhynchus. Briss.	Africa	475
vulgaris. Tem. m. f.	Europa	400	nasutus. Lath.	ibid.	478
<b>SPERMOPHILA.</b> Swains.					
nigra. (L.)	Amer. mer.	645			
minuta. (L.)	ibid.	394			
lincola. (L.)	ibid.	397			
albocollaris. (Less.)	ibid.	399			
cinereola. Tem.	ibid.	1072			

	Patria	Num. in Catal.		Patria	Num. in Catal.
Ordo III. SCANSORES			PALÆORNIS. Vig.		
Fam. I. RAMPHASTIDÆ			pondicerianus. (L.)		
(G. <i>Ramphastos</i> . L.)			torquatus. (L.)		
RAMPHASTOS. L.			Alexandri. f. (Gmel.)		
erythrorhynchus. L.			Sonnerati? (Gmel.)		
dicolorus. L.			EUPHEMA. Wagl.		
vitellinus. L.			pulchella. (Lath.)		
PTEROGLOSSUS. Illig.			venusta. (Tem.)		
aracari. L.			discolor. (Shaw)		
viridis. L. m. f.			(MELOPSITTACUS. Gould)		
nigrirostris. Wather.			undulata. (Shaw)		
maculirostris. Cuv.			ARA. Briss.		
Baillonii. (Viell.)			Macao. (L.)		
piperivorus. (L.) m. f.			Illigeri. (Tem.)		
AULACORHYNCHUS. Gould			CONURUS. Kuhl.		
sulcatus. (Swains.)			gujanensis. (Gmel. non		
cæruleicinctus. Tschud.			Kuhl.)		
albivitta. Boiss.			Wagleri. G. R. Gray		
Fam. II. PSITTACIDÆ			patagonus. (Viell.)		
(G. <i>Psittacus</i> . L.)			auricapillus. Illig.		
GORACOPSIS. Wagl.			squamosus. (Lath. non		
nigra. (L.)			Kuhl.)		
PLATYCERCUS. Vig.			aureus. (Gmel.)		
scapulatus. (Bechst.)			virescens. (Gmel.)		
pacificus. (L.)			carolinensis. (L.)		
{ auriceps. Vig.			murinus. (L.)		
{ (Psitt. pacificus var. $\beta$ . Gmel.)			vittatus. (Shaw)		
Pennantii. (Shaw)			versicolor. (Gmel.)		
eximius. (Shaw)			pertinax. (L.)		
Baueri. Tem.			rufirostris. (Illig.)		
flaveolus. Gould			(ENICOGNATHUS. G. R. Gray)		
Adelaidæ. Gould			leptorynchus. (King)		
NYMPHICUS. Wagl.			LORIUS. Briss.		
Novæ Hollandiæ. (L.)			ruber. (L.)		
m. et f.			(ECLECTUS. Wagl.)		
PEZOPORUS. Illig.			grandis. (L.)		
formosus. (Lath.)			CORIPHILUS. Wagl.		
			fringillaceus. (Gmel.)		
			taitianus. Gmel.		
			{ Swainsonii. (Jardine) (20)		
			{ (Psittacus hæmatodus. Gmel.)		

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>TRICHOCLOSSUS.</b> Vigors.			<b>PICIDÆ</b>		
<i>concinus.</i> (Shaw)	N. Holland.	897	(G. <i>Picus</i> et <i>Bucco</i> , L.)		
<i>pusillus.</i> (Lath.)	ibid.	738	<b>LAIMODON.</b> G. R. Gray		
<b>DEROPTYUS.</b> Wagl.			{ <i>dubius.</i> (Gmel.)	Barbar. Seneg.	1167
<i>accipitrinus.</i> (L.)	Cajenna	860	(Pogonia <i>sulcirostris.</i> Leach.)		
<b>PSITTACUS.</b> Lin.			<i>hæmatops.</i> (Wagl.)	Sierra Leona	1169
<i>pulverulentus.</i> L.	Brasil. Guian.	28	<i>Vielloti.</i> (Leach)	Senegal	1166
<i>amazonicus.</i> L.	ibid.	864	<b>BUCCO.</b> Lin.		
<i>vinaceus.</i> Pr. Max.	ibid.	865	<i>corvinus.</i> Tem.	Java	1156
{ <i>leucocephalus.</i> Gmel.	ibid.	866	<i>chrysopogon.</i> Tem.	Sumatra	1170
<i>id.</i> — var. $\beta$ . Gmel.	ibid.	867	<i>kotorea.</i> Le Vaill.	Afr. austr.	1162
<i>menstruus.</i> L.	ibid.	867	<i>Fichtelii.</i> Lath.	Insul. Sond.	767
<i>purpureus.</i> L.	ibid.	868	<i>mystacophanos.</i> Tem.	Java	1159
(PIONUS. Wagl.)			<i>cyanicollis.</i> Viell.	Ind. orient.	1168
<i>senegalus.</i> L.	Senegal	862	<i>armillaris.</i> Tem.	Ceylan	1161
(CAICAS. Less.)			<i>philippensis.</i> Gmel.	Philipp. insul.	1158
<i>mitratus.</i> Pr. Max.	Brasilia	859	<i>roseicollis.</i> Le Vaill.	Insul. Sond.	643
<i>Barabandii.</i> Le Vail.	ibid.	568	<i>australis.</i> Horsf.	ibid.	790
<i>surdus.</i> Illig.	ibid.	863	<i>Duvaucelii.</i> Less.	Sumatra	1160
<b>JACO.</b> Less.			(BARBATULA. Less.)		
<i>erythacus.</i> L.	Afr. occid.	861	<i>parvus.</i> Cuv. (Less.) non		
<b>PSITTACULA.</b> Briss.			Gmel.	Afr. austr.	1157
<i>galgula.</i> (L.)	Ind. orient.	896	<b>CAPITO.</b> Viell.		
<i>vernalis.</i> (Gmel.)	Insul. Sond.	895	<i>cayanensis.</i> (Briss.)	Cajenna	1171
<i>pullaria.</i> (L.)	Afr. occid.	751	<b>MICROPOGON.</b> Tem.		
<i>passerina.</i> (L.)	Brasilia	750	<i>margaritatus.</i> Tem.	Afr. med.	1165
<b>CACATUA.</b> Briss.			<b>PICUMNUS.</b> Tem.		
<i>sulphurea.</i> (Gmel.)	Moluc. Philipp.	870	{ <i>minutissimus.</i> (Gmel.)	Cajenna	588
<b>CALYPTORHYNCHUS.</b> Vig. et Horsf.			(P. <i>cayanensis.</i> La Fresn.)		
<i>funereus.</i> (Shaw)	N. Holland.	871	<i>Buffonii.</i> La Fresn.	ibid.	622
<i>Cookii.</i> (Tem.)	ibid.	731	<b>YUNX.</b> Lin.		
(CALLOCEPHALON. Less.)			<i>torquilla.</i> L.	Europa	1172
<i>galeatum.</i> Lath. f.	ibid.	556	<b>SASIA.</b> Hodgs.		
<b>NESTOR.</b> Wagl.			<i>abnormis.</i> (Tem.)	Insul. Sond.	827
<i>hypopolius.</i> (Forst.)	N. Seeland.	869	<b>PICUS.</b> Lin.		
			<i>major.</i> L. m. et f.	Europa	808
			<i>leuconotus.</i> Wolf. et Mey.	Europ. orient.	615
			<i>medius.</i> L.	Europa	811
			<i>Macci.</i> Wagl.	Insul. Sond.	812
			<i>hyperythrus.</i> Vig.	Ind. orient.	544
			<i>biarmicus.</i> Cuv.	Afr. mer.	813



	Patria	Nom. in Catal.		Patria	Nom. in Catal.
( <i>DRYOCOPUS</i> . Boie)			<i>TIGA</i> . Kaup.		
<i>martius</i> . <i>L.</i>	Europa	610	<i>tridactyla</i> . ( <i>Swains.</i> ) m. et f.	Java	792
<i>lineatus</i> . <i>L.</i> m. et f.	Amer. mer.	814	<i>COLAPTES</i> . Swains.		
<i>leucogaster</i> . <i>Tem.</i>	Insul. Sond.	815	<i>auratus</i> . ( <i>L.</i> )	Amer. sept.	796
( <i>CAMPEPHILUS</i> . G. R. Gray)			<i>elegans</i> . ( <i>Fras.</i> )	Bolivia	797
<i>validus</i> . <i>Reinw.</i> f.	Java	816			
<i>robustus</i> . <i>Licht.</i>	Amer. mer.	817	<i>CUCULIDÆ</i>		
<i>PICOIDES</i> . Lacép.			( <i>G. Cuculus</i> . <i>L.</i> )		
<i>tridactylus</i> . ( <i>L.</i> ) m. et f.	Europ. media.	809	<i>CENTROPUS</i> . Illig.		
<i>HEMICERCUS</i> . Swains.			<i>philippensis</i> . <i>Cuv.</i>	Ind. orient.	1136
<i>concretus</i> . ( <i>Reinw.</i> )	Java	791	<i>bicolor</i> . ( <i>Viell.</i> )	Afr. austr.	1137
<i>DENDROBATES</i> . Swains.			<i>ægyptius</i> . ( <i>Gmel.</i> )	Ægypt. Abyssin.	1134
<i>passerinus</i> . ( <i>L.</i> ) m. et f.	Amer. mer.	801	<i>superciliosus</i> . <i>Rüpp.</i>	ibid.	1135
<i>caniceps</i> . ( <i>Wagl.</i> ) f.	Afr. mer.	803	<i>PIAYA</i> . Less.		
<i>icterocephalus</i> . ( <i>Lath.</i> )	Amer. mer.	803	<i>cayana</i> . ( <i>L.</i> )	Brasil. Cajen.	1126
m. et f.			<i>COCCYZUS</i> . Viell.		
<i>DENDROMUS</i> . Swains.			<i>americanus</i> . ( <i>L.</i> )	Amer. sept.	612
<i>melanochloros</i> . ( <i>L.</i> )	Amer. mer.	798	<i>melacoryphus</i> . <i>Viell.</i>	Amer. mer.	1146
<i>rubiginosus</i> . ( <i>Swains.</i> )	ibid.	799	<i>seniculus</i> . ( <i>Lath.</i> )	ibid.	1145
<i>brachyurus</i> . ( <i>Viell.</i> )	Sumat. Java	800	<i>DIPLOPTERUS</i> . Boie		
<i>notatus</i> . ( <i>Licht.</i> )	Afr. mer.	807	<i>nævius</i> . ( <i>L.</i> )	Brasil. Guyan.	1140
<i>BRACHYLOPHUS</i> . ( <i>Swains.</i> ) Strickl.			<i>GUIRA</i> . Less.		
<i>miniatus</i> . ( <i>Forst.</i> )	Ins. Sond.	805	<i>pirigua</i> . ( <i>Viell.</i> )	Brasilia	1149
<i>punicus</i> . <i>Horsf.</i> m. et f.	ibid.	804	<i>GROTOPHAGA</i> . Lin.		
<i>gularis</i> . ( <i>Tem.</i> )	Java	806	<i>major</i> . <i>L.</i>	Brasil. Guyan.	1141
<i>MELANERPES</i> . Swains.			<i>ani</i> . <i>L.</i>	ibid.	1142
<i>melanopogon</i> . ( <i>Licht.</i> )	Mexicum	518	<i>sulcirostris</i> . <i>Leibl.</i>	Perù	1143
<i>ischnorhynchus</i> . ( <i>Wagl.</i> )	Brasilia	795	<i>ZANCLOSTOMUS</i> . Swains.		
<i>flavifrons</i> . ( <i>Viell.</i> ) m. et f.	ibid.	533	<i>javanicus</i> . ( <i>Horsf.</i> )	Java	1131
<i>erythrocephalus</i> . ( <i>L.</i> )	Amer. sept.	1138	<i>PHOENICOPHAUS</i> . Viell.		
<i>CENTURUS</i> . Swains.			<i>melanognathus</i> . <i>Horsf.</i>	Java	1132
<i>carolinus</i> . ( <i>L.</i> )	Amer. sept.	1139	<i>sumatranus</i> . ( <i>Raffl.</i> )	Sumatra	1133
<i>CELEUS</i> . Boie.			( <i>Melias tristis</i> . <i>Less.</i> )		
<i>flavescens</i> . ( <i>L.</i> ) m. et f.	Amer. mer.	810	<i>RHINORTHA</i> . Vig.		
<i>GECINUS</i> . Boie			<i>chlorophoca</i> . ( <i>Raffl.</i> )	Sumatra	1127
<i>viridis</i> . ( <i>L.</i> )	Europa	793	m. - <i>Bubutus Isidori</i> . <i>Less.</i>		
<i>canus</i> . ( <i>Gmel.</i> ) f.	Eur. orient. med.	616	f. - <i>B.</i> - <i>Duvaucelii</i> . <i>Less.</i>		
<i>dimidiatus</i> . ( <i>Tem.</i> )	Ins. Sond.	794			

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>SCYTHROPS. Lath.</b>			<b>PTILINOPUS. Swains.</b>		
novæ Hollandiæ. <i>Lath.</i>	N. Holland.	1154	<div> <div> <div>roseicollis. (<i>Wagl.</i>)</div> <div>(<i>Columba porphyrea</i>)</div> <div><i>Reinv.</i> non aliorum</div> </div> <div>melanocephalus. (<i>Forst.</i>)</div> </div>	Insul. Sond.	832
<b>EUDYNAMYS. Vig. et Horsf.</b>					
<div> <div>orientalis. (<i>L.</i>)</div> <div>f.-(<i>Cuculus scolopaceus Gm.</i>)</div> <div>m juv.-(<i>C.—punctatus Gm.</i>)</div> </div>	Ind. orient.	1129		Java	831
tahitiensis. <i>L.</i>	N. Seeland.	1130	<b>CARPOPHAGA. Selby</b>		
<b>OXYLOPHUS. Swains.</b>			ænea. ( <i>Lath.</i> )	Java	841
<div> <div>ater. (<i>Gmel.</i>) f.</div> <div>(<i>Cuculus melanoleucos. Auct.</i>)</div> </div>	Afr. aus. Ind. or.	1147	spadicea. ( <i>Lath.</i> )	N. Seeland.	527
glandarius. ( <i>L.</i> )	Afr. sep. Eur. m.	1148	magnifica. ( <i>Tem.</i> )	N. Holland.	842
<b>CUCULUS. Lin.</b>			lacernulata. ( <i>Tem.</i> )	Insul. Sond.	840
<div> <div>canorus. <i>L.</i> m. ad</div> <div>juv. (<i>Cuculus hepaticus. Lath.</i>)</div> </div>	Europa	1151	<b>COLUMBA. Lin.</b>		
solitarius. <i>Viell.</i>	Afr. mer.	1153	palumbus. <i>L.</i>	Europa	847
cineraceus. <i>Vig. et Horsf.?</i>	Ind. orient.	1152	ænas. <i>L.</i>	ibid.	852
Sonneratii. <i>Lath.</i>	ibid.	1150	livia. <i>L.</i>	Europ. mer.	851
tenuirostris. <i>I. E. Gray</i>	ibid.	676	guinea. <i>L.</i>	Afr. mer.	853
( <b>TURNICULUS. Less.</b> )			speciosa. <i>Gmel.</i>	Amer. mer.	850
flavus. <i>L.</i> f.	Java	759	<b>LOPHOLAIMUS. G. R. Gray</b>		
lugubris. <i>Horsf.</i>	ibid.	730	antarcticus. ( <i>Shaw</i> )	N. Holland.	566
<b>CHRYSOCOCCYX. Boie</b>			<b>PERISTERA. Swains.</b>		
cupreus. ( <i>Lath.</i> ) m. f.	Cap. Bonæ spei	605	jamaicensis. ( <i>Tem.</i> )	Amer. mer.	845
auratus. ( <i>L.</i> )	ibid.	642	castanea. ( <i>Wagl.</i> )	Martinica	846
chalcites. ( <i>Illig.</i> )	N. Holland.	1125	afra. ( <i>L.</i> )	Afr. mer.	844
lucidus. ( <i>L.</i> )	ibid.	602	erythrauchen. ( <i>Wagl.</i> )	N. Holland.	572
<b>Ordo IV. COLUMBÆ</b>			<b>MACROPYGIA. Swains.</b>		
<b>Fam. COLUMBIDÆ</b>			amboinensis. ( <i>L.</i> )	Insul. Sond.	855
( <i>G. Columba. L.</i> )			ruficeps. ( <i>Tem.</i> )	ibid.	856
<b>TRERON. Viell.</b>			<b>OENA. Selby</b>		
aromatica. ( <i>Gmel.</i> )	Java	836	capensis. ( <i>L.</i> )	Afr. austr.	849
militaris. ( <i>Tem.</i> ) f.	Ind. orient.	838	<b>CHAMOEPELIA. Swains.</b>		
vernans. ( <i>L.</i> ) m. et f.	Insul. Sond.	837	passerina. <i>L.</i>	America	848
oxyura. ( <i>Tem.</i> )	ibid.	835	<b>TURTUR. Selby</b>		
sphenura. <i>Vig.</i>	Ind. orient.	495	senegalensis. ( <i>L.</i> )	Africa	531
abyssinica ( <i>Lath.</i> ) m. et f.	Afr. austr.	839	Dussumierii. ( <i>Tem.</i> )	Ind. orient.	525
			risorius. ( <i>L.</i> )	Africa	854
			(var. <i>A. Wagl.</i> )		
			tigrinus. <i>Tem.</i>	Ind. orient.	526
			id. var. ( )	ibid.	
			<b>CHALCOPHAPS. Gould</b>		
			superciliaris. ( <i>Wagl.</i> )	Ind. orient.	843

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>PHAPS.</b> Selby			<b>EUPLOCOMUS.</b> Tem.		
<i>elegans.</i> (Tem.)	Austral.	670	<i>nyctemerus.</i> (L.)	China	1163
			<i>alboeristatus.</i> (Vig.)	Himalaya	585
<b>Ordo V. GALLINÆ</b>			<b>ALECTROPHASIS.</b> G. R. Gray		
<b>Fam. I. CRACIDÆ</b>			<i>erythrophthalmos.</i>		
(G. <i>Crax.</i> L.)			<i>I. E. Gray</i>	Ind. orient.	557
<b>ORTALIDA.</b> Merr.			<b>GALLUS.</b> Lin.		
<i>guttata.</i> (Spix)	Brasilia	1216	<i>Bankiva.</i> Tem. m. et f.	Java - Sumatra	560
<b>PENELOPE.</b> Merr.			<i>Sonneratii.</i> Tem.	Ind. orient.	1201
<i>cristata.</i> Lath.	Brasil. Guyan.	686	<b>SATYRA.</b> Less.		
<i>vetula.</i> Wagl.	ibid.	581	<i>Hastingsii.</i> (Vig.)	Himalaya	558
<b>CRAX.</b> Lin.			m. et f.		
<i>allector.</i> L.	Cajenna	1217	<b>NUMIDA.</b> Lin.		
<b>Fam. II. MEGAPODIDÆ</b> (21)			<i>melcagris.</i> L.	Afr. sep. (in Eur. domest.)	665
<b>MEGAPODIUS.</b> Quoy et Gaym.			<i>id. var.</i>	Ex insula Java	
<i>Freycineti.</i> Q. et Gaym.	N. Holland.	1199	<b>LOPHOPHORUS.</b> Tem.		
<b>MENURA.</b> Dav.			<i>Impeyanus.</i> (Lath.)	Himalaya	559
<i>lyra.</i> Shaw	Amboina	573	m. et f.		
<b>MEGALONYX.</b> Less.			<b>TETRAOGALLUS.</b> I. E. Gray		
<i>rufus.</i> Less.	Chili	1318	<i>Nigellii.</i> I. E. Gray	Himalaya	1215
<b>Fam. III. PHASIANIDÆ</b>			<b>PUCRASIA.</b> G. R. Gray		
(G. <i>Pavo</i> et <i>Phasianus.</i> L.)			<i>macrolopha.</i> (Less.) m. et f.	Himalaya	587
<b>POLYPECTRON.</b> Tem.			<b>Fam. IV. TETRAONIDÆ</b>		
<i>chinquis.</i> Tem.	Asia mer. orien.	1200	(G. <i>Tetrao.</i> L.)		
<b>PAYO.</b> Lin.			<b>FRANCOLINUS.</b> Briss.		
<i>cristatus.</i> L.	Ind. orient.	1144	{ <i>vulgaris.</i> Steph.	Eur. mer. As. oc.	577
<b>ARGUS.</b> Tem.			<i>Tetrao francolinus.</i> L.		
<i>giganteus.</i> Tem. m. et f.	Ind. orient.	1198	<i>pondicerianus.</i> (Gmel.)	Ind. orient.	1025
<b>PHASIANUS.</b> Lin.			<b>PLECTROPHORUS.</b> I. E. Gray		
<i>colchicus.</i> L. m. et f.	Reg. circa mar.		<i>spadiceus.</i> (Lath.)	Ind. orient.	677
<i>hybr. phas. colch.</i>	Casp. in Eur.		<b>CHACURA.</b> Hodgs.		
<i>et torquati.</i>	cæter. transl.	1020	<i>græca.</i> (L.)	Eur. mer.	1210
<i>Stacci.</i> Vig. m. et f.	Himalaya	586	<i>rubra.</i> (Briss.)	ibid.	1209
			<i>petrosa.</i> (Lath.)	ibid.	1211
			<i>chucar.</i> I. E. Gray	Himalaya	582

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>PERDIX.</b> Briss.			Fam. V. <b>CHIONIDÆ</b>		
cinerea. (L.)	Europa	1212	Fam. VI. <b>TINAMIDÆ</b>		
torqucola. <i>Valenc.</i>	Ind. orient.	1023	(G. <i>Tetrao</i> part. L.)		
(LERWA. <i>Hodgs.</i> )			<b>TURNIX.</b> Bonat.		
lerwa. <i>Hodgs.</i>	Himalaya	575	gibraltarius. (Gm.)	Eur. mer.	580
<b>COTURNIX.</b> Tem.			pugnax. (Tem.)	Ins. Sond.	777
dactylisonans. <i>Mey.</i>	Europa - Afr.	1205	<b>TINAMUS.</b> Lath.		
australis. (Lath.)	N. Gall. merid.	1206	brasiliensis. Lath.	Brasilia	1218
ventralis. ( <i>Valenc.</i> )	Senegal	1207	<b>NOTHURA.</b> Wagl.		
} chinensis. (Lath.)	China	1204	maculosa. (Tem.)	Brasil. Parag.	1219
} C. excalfactoria. Tem.					
<b>ORTYX.</b> Steph.			<b>Ordo VI. STRUTHIONES</b>		
Sonnini. Tem.	Amer. mer.	1208	Fam. I. <b>STRUTHIONIDÆ</b>		
noxenus. <i>Vig.</i>	ibid.	1114	(G. <i>Struthio</i> et <i>Otis</i> . L.)		
leucotis. <i>Gould</i>	Bolivia	748	<b>OTIS.</b> Lin.		
<b>CRYPTONYX.</b> Tem.			tarda. L.	Eur. mer.	1286
cristatus. (Gmel.)	Ind. orient.	1203	tetrax. L.	Eur. m. Af. sept.	1226
m. et f.			afra. Lath.	Afr. austr.	1234
<b>TETRAO.</b> Lin.			(CHLAMYDOTIS. Less.)		
urogallus. L.	Eur. sep. et med.	1220	houbara. Gmel.	Afr. sept.	1225
(LYNURUS. Swains.)			<b>Ordo VII. GRALLÆ</b>		
tetric. L. m. et f.	ibid.	1221	Fam. I. <b>CHARADRIDÆ</b>		
<b>BONASA.</b> Briss.			(G. <i>Charadrius</i> et <i>Hæmatopus</i> . L.)		
} sylvestris. ( <i>Burchm</i> )	Eur. sep. et med.	1213	<b>ÆDICNEMUS.</b> Tem.		
} Tetrao bonasia. L.	Amer. sept.	1214	crepitans. Tem.	Eur. med. et mer.	1196
umbellus. (L.)			<b>CURSORIUS.</b> Lath.		
<b>LAGOPUS.</b> Briss.			asiaticus. Lath.	Ind. orient.	1182
} mutus. <i>Leach.</i>	Europa	1202	isabellinus. ( <i>Meyer</i> )	Eur. mer. Af. sept.	1181
} Tetrao lagopus. L.			<b>PLUVIANUS.</b> Viell.		
} hab. æst. et hyem.			ægyptius. (L.)	Afr. sept.	1180
<b>PTEROCLES.</b> Tem.			<b>GLAREOLA.</b> Briss.		
alchata. (L.) m. et f.	Eur. mer.	1223	pratincola. (L.)	Europa	1287
exustus. Tem.	Ægypt. Seneg.	1222	orientalis. <i>Leach.</i>	Ind. orient.	778
gularis. <i>Smith.</i> m. et f.	Afr. austr.	1024			
coronatus. <i>Licht. f.</i>	Nubia	1224			
quadricinctus. Tem.	Senegambia	464			

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>VANELLUS. Lin.</b>			<b>BALEARICA. Briss.</b>		
cristatus. <i>Meyer</i>	Europa	1176	pavonina. ( <i>L.</i> )	Afr. merid.	1258
cayanensis. ( <i>L.</i> )	Brasil. Parag.	1179	<b>ARDEA. Lin.</b>		
( <i>PHILOMACHUS. Moer.</i> )			cinerea. <i>L.</i>	Eur. As. Afr.	1241
spinosus. ( <i>L.</i> )	Af. sep. Eur. mer.	1178	purpurea. <i>L.</i>	Eur. med. et mer.	1240
coronatus. ( <i>Gmel.</i> )	Afr. austr.	1177	cocoi. <i>L.</i>	Brasil. Parag.	1228
( <i>LOBIVANELLUS. Strickl.</i> )			Agami. <i>L.</i>	Brasil. Cajen.	965
lobatus. ( <i>Lath.</i> )	N. Holland.	1175	Novæ Hollandiæ. <i>Lath.</i>	N. Holland. Java	967
goensis. ( <i>Gmel.</i> )	Ind. orient.	1174	nigra. <i>Viell.</i>	Bengala Java	1255
<b>CHARADRIUS. Lin.</b>			( <i>ARDEOLA. Bonap.</i> )		
pluvialis. <i>L.</i>	Europa	1187	minuta. <i>L.</i>	Eur. As. Afr.	1256
xanthocheilus. <i>Wagl.</i>	N. Seeland.	503	<b>HERODIAS. Boie</b>		
obscurus. <i>Gmel.</i>	ibid.	682	garzetta. ( <i>L.</i> )	Eur. mer. As. oc.	673
( <i>SQUATAROLA. Cuv.</i> )			egretta. ( <i>Gmel.</i> )	Brasil. Guian.	1239
{ hypomelas. <i>Pall.</i>	Europa sept.	1197	candidissima. ( <i>Gmel.</i> )	Parag. Bras. Jam.	1248
{ ( <i>Tringa helvetica Gmel.</i> )			( <i>BUPHUS. Boie</i> )		
<b>EUDROMIAS. Boie</b>			speciosa. <i>Horsf.</i>	Java	1396
morinellus. ( <i>L.</i> )	Europa	1183	russata. ( <i>Wagl.</i> )	Ind. orient.	966
australis. <i>Gould</i>	Austr. mer.	1186	{ bubuleus. ( <i>Cuv.</i> )	Eur. mer. Ægyp.	1285
<b>ÆGIALITES. Boie</b>			{ Ardea Verany. <i>Roux</i>		
hiaticula. <i>L.</i>	Europa	1192	ralloides. ( <i>Scop.</i> )	Eur. mer. As. oc.	1254
minor. <i>My.</i>	ibid.	1191	<b>BOTAURUS. Steph.</b>		
collaris. <i>Viell.</i>	Brasil. Parag.	1188	stellaris. ( <i>L.</i> )	Europa	1242
pecuarius. <i>Tem.</i>	Afr. austr.	1193	virescens. ( <i>L.</i> )	Amer. trop.	1249
cantianus. <i>Lath.</i>	Europa	1189	scapularis. ( <i>Illig.</i> )	ibid; et Java?	1250
<b>STREPSILAS. Illig.</b>			<b>NYCTICORAX. Steph.</b>		
interpres. <i>Illig.</i>	Region. univer. præsert. Eur. et Amer. sept.	1195	Gardeni. ( <i>Gmel.</i> )	Europa	1253
<b>HEMATOPUS. Lin.</b>			cayanensis. ( <i>L.</i> )	Guian. Antill.	1252
ostralegus. <i>L.</i>	Europa	1190	caledonica. ( <i>Gmel.</i> )	N. Holland.	1251
<b>Fam. II. ARDEIDÆ</b>			<b>SCOPUS. Briss.</b>		
( <i>G. Psophia, Ardea, Ciconia</i>			umbretta. <i>Gmel.</i>	Senegal	1247
et <i>Tantalus. L.</i> )			<b>CANCROMA. Lin.</b>		
<b>PSOPHIA. Lin.</b>			cochlearia. <i>L.</i>	Cajenna	579
crepitans. <i>L.</i>	Guiana	969	<b>PLATALEA. Lin.</b>		
			leucorodia. <i>L.</i>	Eur. med. et mer.	590
			chlororhynchos. <i>Drap.</i>	Afr. aust. Ind. or.	638
			ajaja. <i>L.</i>	Brasil. Parag.	1232
			<b>PHOENICOPTERUS.</b>		
			ruber. <i>L.</i>	Eur. mer. Af. sep.	1245
			minor. <i>Geoffr.</i>	Afr. austr.	1015

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>ANASTOMUS.</b> Bonn.			<b>LIMOSA.</b> Briss.		
<i>lamelligerus.</i> Tem.	Afr. austr.	1257	<i>melanura.</i> Leisl.	Eur. sep. et med.	505
<b>CICONIA.</b> Lin.			<i>rufa.</i> Briss.	Europa	1119
<i>alba.</i> L.	Eur. Afr. As. oc.	1246	id. var. <i>brevirostris.</i> (22)		
<i>maguari.</i> (Lath.)	Brasil. Parag.	1244	<b>TOTANUS.</b> Bechst.		
(SPHEENORHYNCHUS. Hemp. et Ebrein.)			<i>glottis.</i> (L.)	Eur. Afr. sept.	1275
<i>Abdimi.</i> Licht.	Ægypt. Seneg.	1243	<i>stagnatilis.</i> Bechst.	ibid.	1276
<b>LEPTOPTILOS.</b> Less.			<i>fuscus.</i> (L.)	ibid.	1274
<i>capillata.</i> (Tem.)	Java	562	<i>calidris.</i> (L.)	Eur. Sibir.	1272
<b>TANTALUS.</b> Lin.			<i>glareola.</i> (L.)	Eur. Sib. Af. sep.	1273
<i>leucocephalus.</i> Forst.	Bengala	1232	<i>ochropus.</i> (L.)	ibid.	1277
<i>ibis.</i> L.	Ægypt. Seneg.	1227	<i>natator.</i> Vieill.	Paraguay	1173
<i>lacteus.</i> Tem.	Java Sumatra	1019	<i>semipalmatus.</i> (Gmel.)	Amer. sept.	1400
<b>IBIS.</b> Lacép.			(TEREBIA. Bonap.)		
<i>religiosa.</i> Cuv.	Ægypt. Seneg.	1229	<i>terek.</i> (Lath.)	Reg. circa. Mar. Casp. Ind. or.	1128
<b>PHIMOSUS.</b> Wagl.			(ACTITIS. Illig.)		
<i>infuscatus.</i> Licht.	Brasil. Parag.	1231	<i>hypoleucos.</i> (L.)	Eur. Afr. sept.	668
<b>THERISTICUS.</b> Wagl.			<b>RECURVIROSTRA.</b> Lin.		
<i>melanopis.</i> (Forst.)	Brasil. Parag.	1238	<i>avocetta.</i> L.	Eur. Afr. sept.	1282
<i>cerulescens.</i> (Vieill.)	ibid.	1229	<b>HIMANTOPUS.</b> Briss.		
<i>chalcopterus.</i> (Vieill.)	Senegambia	1236	<i>vulgaris.</i> Bechst.	Eur. Afr. sept.	683
<b>TANTALIDES.</b> Wagl.			<i>nigricollis.</i> Vieill.	Amer. sept.	1194
<i>falcinellus.</i> (L.)	Eur. Af. sep. As.	1235	<b>TRINGA.</b> Lin.		
<i>ruber.</i> (L.)	Brasil. Cajen.	1237	<i>canutus.</i> L.	Amer. Europ.	
<b>ARAMUS.</b> Vieill.			adult. hab. æst.	præser. sept.	506
<i>scolopaceus.</i> (Gmel.)	Brasil. Guian.	968	(Tringa ferruginea. Mey.)		
<b>Fam. III. SCOLOPACIDÆ</b>			juv. (T. islandica. Gmel.)		
(G. <i>Scolopax</i> , <i>Tringa</i> et <i>Recurvirostra.</i> L.)			<i>subarquata.</i> (Gülden.)	ibid.	1263
<b>NUMENIUS.</b> Lath.			<i>cinclus.</i> L.	ibid.	504
<i>phæopus.</i> (L.)	Europa	1281	<i>Bonapartei.</i> Schleg.	Amer. sept.	679
<i>arquatus.</i> (L.)	ibid.	1284	<i>platyrhyncha.</i> Tem.	Eur. mer. Ind. or.	591
<i>tenuirostris.</i> Vieill.	Ital. mer. Ægypt.	1283	<i>minuta.</i> Leisler	Eu. As. præser. sep.	1264
			<i>Temminckii.</i> Leisler	Eur. mer.	1265
			(CALIDRIS. Cuv.)		
			<i>arenaria.</i> L.	Eur. Afr. sept.	1278
			<b>MACHETES.</b> Cuv.		
			<i>pugnax.</i> (L.) cum var.	Eur. As. sept. et med.	678
			<b>SCOLOPAX.</b> Lin.		
			<i>rusticola.</i> L.	Eu. As. præser. sep.	1266
			<i>minor.</i> L.	Amer. sept.	1397

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>MACRORAMPHUS.</b> Leach			(PORZANA. Viell.)		
griseus.	Amer. sept.	1399	philippensis. <i>Lath.</i>	Ind. orient.	1294
<b>GALLINAGO.</b> Steph.			porzana. <i>L.</i>	Europa	508
major. ( <i>L.</i> )	Eu. As. præsep.	1267	rubiginosus. ( <i>Lath.</i> )	Java	1299
scolopacina. ( <i>Bonap.</i> )	ibid.	1268	pusillus. <i>Gmel.</i>	Eur. med. et m.	1298
stenura. ( <i>Tem.</i> )	Java	758	Baillonii. <i>Viell.</i>	ibid.	834
gallinula. ( <i>L.</i> )	Europa	1269	(CREX. Bechst.)		
<b>RHYNCHAEA.</b> Viell.			crex. <i>L.</i>	Europa	1291
{ capensis. <i>L.</i>	Ind. orient.	1271	<b>GALLINULA.</b> Briss.		
{ id. var. ( <i>R. variegata. Viet.</i> )			chloropus. <i>L.</i>	Eur. As. usq. ad	
Hilaira. <i>Valenc.</i>	Brasilia	1270	orientalis. <i>Horsf.</i>	ins. Java	1295
<b>PHALAROPUS.</b> Briss.			phænicura. ( <i>Penn.</i> )	Java	1296
fulcarius. ( <i>L.</i> )	Eur. Amer. sept.	1280		ibid.	1292
(LOEIPES. Cuv.)			<b>PORPHYRIO.</b> Briss.		
hyperboreus. ( <i>L.</i> )	ibid.	1279	jacinthinus. <i>Tem.</i>	Eur. mer.	1261
			smaragdinus. <i>Tem.</i>	Ind. orient.	1260
			martinica. ( <i>L.</i> )	Amer. tropic.	1259
Fam. IV. PALAMEDEIDÆ			<b>FULICA.</b> Lin.		
( <i>G. Parra et Palamedea. L.</i> )			atra. <i>L.</i>	Eur. As. Afr.	1297
<b>PARRA.</b> Lin.			<b>HELIORNIS.</b> Bonn.		
jacana. ( <i>L.</i> )	Brasilia.	1289	surinamensis. <i>Gmel.</i>	Cajen. Surin.	972
<b>HYDRALECTOR.</b> Wagl.					
gallinaceus. ( <i>Tem.</i> )	Ind. orient.	905	Ordo VIII. ANSERES		
<b>HYDROPHASIANUS.</b> Wagl.					
sinensis. ( <i>Gmel.</i> )	China, Ins. Sond.	1288	Fam. I. ANATIDÆ		
<b>METOPIDIUS.</b> Wagl.			( <i>G. Anas et Mergus. L.</i> )		
æneus. <i>Cuv.</i>	Java	1287	<b>CHENALOPEX.</b> Steph.		
africanus. ( <i>Gmel.</i> )	Afr. austr.	971	ægyptiaca. ( <i>L.</i> )	Africa	1342
<b>CHAUNA.</b> Illig.			<b>SARKIDIORNIS.</b> Eyt.		
chavaria. ( <i>L.</i> )	Brasil. Parag.	970	{ regia. <i>Eyt.</i>	Afr. austr.	1304
			{ Anser melanotos. <i>Penn.</i>		
Fam. V. RALLIDÆ			<b>ANSER.</b> Lin.		
( <i>G. Rallus et Fulica. L.</i> )					
<b>RALLUS.</b> Lin.			segetum. <i>Gmel.</i>	Eur. sept.	1347
aquaticus. <i>L.</i>	Europa	500	cinereus. <i>Mey. et Wolf.</i>	ibid.	1348
bicolor. <i>Cuv.</i>	Brasilia	1290	albifrons. <i>Gmel.</i>	ibid.	1346
gigas. ( <i>Spix</i> )	ibid.	1293			

	Patria	Num. in Catal.		Patria	Num. in Catal.
<b>BERNICLA.</b> Steph.			<b>SOMATERIA.</b> Leach		
<b>brenta.</b> <i>Steph.</i>	Reg. boreal.	1343	<b>mollissima.</b> <i>L.</i> m. et f.	Reg. boreal.	1325
<b>leucopsis.</b> ( <i>Bechst.</i> )	ibid.	1344	<b>spectabilis.</b> <i>L.</i> m. et f.	ibid.	1326
<b>CYGNUS.</b> Lin.			<b>FULIGULA.</b> Steph.		
<b>olor.</b> ( <i>Gmel.</i> )	Eur. sept.	1341	<b>cristata.</b> <i>Steph.</i>	Eur. sept.	1329
<b>musicus.</b> <i>Bechst.</i>	ibid.	1340	( <i>Anas fuligula. L.</i> )		
<b>nigricollis.</b> ( <i>Gmel.</i> )	Parag. Chili	1305	<b>marila.</b> ( <i>L.</i> ) m. et f.	ibid.	1332
<b>coscoroba.</b> ( <i>Mol.</i> )	ibid.	1306	<b>ferina.</b> ( <i>L.</i> )	ibid.	1330
<b>DENDROCYGNA.</b> Swains.			<b>nyroca.</b> ( <i>Güldenst.</i> )	ibid.	1328
<b>autumnalis.</b> ( <i>L.</i> )	Cajenna	1316	<b>metopias.</b> ( <i>Pæppig</i> )	Paraguay	1327
<b>viduata.</b> ( <i>L.</i> )	ibid.	1315	( <i>BRANTA. Boie</i> )		
<b>arcuata.</b> ( <i>Horsf.</i> )	Java	1314	<b>rufina.</b> <i>Pall.</i>	Eur. or. mer.	1331
<b>TADORNA.</b> Leach			<b>CLANGULA.</b> Flem.		
<b>vulpanser.</b> <i>Flem.</i>	Eur. præser. or.	1323	<b>glaucion.</b> ( <i>L.</i> )	Eur. sept.	1338
<b>CASARCA.</b> Bonap.			<b>histrionica.</b> ( <i>L.</i> )	Reg. arct.	1337
<b>tadornoides.</b> ( <i>Jard.</i> )	N. Holland.	1336	<b>albeola.</b> ( <i>L.</i> )	Amer. sept.	1401
<b>ANAS.</b> Lin.			<b>HARELDA.</b> Leach		
<b>boschas.</b> <i>L.</i> m. et f.	Eur. bor. et med.	1333	<b>glacialis.</b> ( <i>L.</i> )	Reg. boreal.	502
<b>strepera.</b> <i>L.</i>	ibid.	1335	<b>ERISMATURA.</b> Bonap.		
<b>penelope.</b> <i>L.</i>	ibid.	1334	<b>leucocephala.</b> <i>Scop.</i>	Eur. mcr.	1312
<b>punctata.</b> <i>Cuv.</i>	Java	1398	<b>MERGUS.</b> Lin.		
( <i>Mareca castanea. Eyt.</i> )			<b>serrator.</b> <i>L.</i>	Eur. et Am. sep.	1350
<b>DAFILA.</b> Leach			<b>merganser.</b> <i>L.</i>	Eur. sept.	1349
<b>acuta.</b> ( <i>L.</i> )	Eur. As. temp.	1319	<b>MERGELLUS.</b> Selby		
<b>bahamensis.</b> ( <i>L.</i> )	Bras. Ins. Baham.	1315	<b>albellus.</b> ( <i>L.</i> )	Reg. sept.	1351
<b>QUERQUEDULA.</b> Steph.			<b>Fam. II. COLYMBIDÆ</b>		
<b>crecca.</b> ( <i>L.</i> )	Eur. As. et Af. se.	1320	( <i>G. Colymbus. L.</i> )		
<b>ippecuturi.</b> ( <i>Vicell.</i> )	Brasilia	1321	<b>COLYMBUS.</b> Lin.		
( <b>PTEROCYANEA.</b> Bonap.)			<b>arcticus.</b> <i>L.</i>	Eur. sept.	1379
<b>circia.</b> ( <i>L.</i> )	Eur. Sib. Af. sep.	1322	<b>glacialis.</b> <i>L.</i>	ibid.	1307
<b>SPATULA.</b> Boie			<b>septentrionalis.</b> <i>L.</i>	ibid.	1301
<b>clypeata.</b> ( <i>L.</i> )	Eur. sep. et med.	1339	<b>PODICEPS.</b> Lath.		
<b>CAIRINA.</b> Flem.			<b>cayennensis.</b> ( <i>Gmel.</i> )	Brasil. Cajen.	1376
<b>moschata.</b> ( <i>L.</i> )			<b>cristatus.</b> ( <i>L.</i> )	Eur. As. Am. sep.	1311
<b>fera</b>	Paraguay	} 1317	<b>rubricollis.</b> <i>Lath.</i>	ibid.	574
<b>domestica</b>	Europa		<b>cornutus.</b> <i>Lath.</i>	Eur. temper.	1377
<b>OIDEMIA.</b> Flem.			<b>auritus.</b> <i>Lath.</i>	Eur. Sib. Am. se.	1309
<b>fusca.</b> ( <i>L.</i> )	Eur. et Am. sep.	1324	<b>minor.</b> <i>Lath.</i>	Europa	1378
			<b>dominicanus.</b> ( <i>L.</i> )	Cajen. Surin.	1308



	Patria	Num. in Catal.		Patria	Num. in Catal.
Fam. III. ALCIDÆ			LARUS. Lin.		
(G. <i>Alca</i> et <i>Colymbus</i> part. L.)			<i>marinus. L.</i>	Eur. sep. et med.	1360
UTAMANIA. Leach			<i>fuscus. L.</i>	ibid.	1361
<i>torda. L.</i>	Reg. arct.	496	<i>leucopterus. Fab.</i>	Am. et Eur. bor.	960
FRATERCULA. Briss.			<i>argentatus. Brünn.</i>	Eur. et As. sept.	1363
<i>arctica. (L.)</i>	Reg. boreal.	1310	<i>Audouinii. Payr.</i>	Mediterr.	961
SPHENISCUS. Briss.			<i>canus. L.</i>	Europa	1364
<i>demersus. (L.)</i>	Afr. austr.	1381	(CHROICOCEPHALUS. Eyt.)		
<i>magellanicus. (Gmel.)</i>	Ter. Magel.	1380	<i>melanocephalus. Natt.</i>	Mediterr.	1366
<i>minor. Tem.</i>	N. Holland.	1300	<i>ridibundus. L.</i>	Eur. med. et mer.	1362
URIA. Briss.			<i>cirrhocephalus. Viell.</i>	Amer. mer.	964
<i>Brünnichii. Sab.</i>	Reg. arct.	509	<i>scopulinus. Forst.</i>	N. Holland.	963
<i>troile. Tem.</i>	ibid.	497	<i>minutus. Pall.</i>	Eur. orient.	1365
<i>grylle. (L.)</i>	ibid.	1392	RISSA. Leach		
MERGULUS. Viell.			<i>tridactyla. (L.)</i>	Reg. boreal.	1369
<i>alle. L.</i>	Reg. boreal.	1391	STERNA. Lin.		
Fam. IV. PROCELLARIDÆ			<i>caspia. Pall.</i>	Eur. mer.	1374
(G. <i>Procellaria</i> et <i>Diomedea</i> part. L.)			<i>cantiaca. Gmel.</i>	Eur. Af. N. Amer.	962
PROCELLARIA. Lin.			<i>anglica. Mont.</i>	Eur. Afr.	1375
<i>capensis. L.</i>	Cap. B. Sp.	1303	<i>fuliginosa. Gmel.</i>	Ocean. atlant.	672
PUFFINUS. Briss.			<i>hirundo. L.</i>	Eur. As. Am. sep.	1368
<i>cinereus. Tem.</i>	Mediterr.	1387	<i>arctica. Tem.</i>	Reg. sept.	1373
<i>anglorum. Tem.</i>	Eur. boreal.	1388	(PHÆTUSA. Wagl.)		
<i>æquinoctialis. (Gmel.)</i>	Cap. B. Sp.	1302	<i>magnirostris. Licht.</i>	Brasil. Cajen.	1367
THALASSIDROMA. Vig.			(VIRALVA. Leach)		
<i>Wilsonii. Bonap.</i>	Ocean. Atlant.	1389	<i>nigra. L.</i>	Eur. As. temp.	1370
<i>Leachii. Tem.</i>	ibid.	1390	<i>leucoptera. Tem.</i>	Eur. mer.	1371
DIOMEDEA. Lin.			ANOUS. Leach.		
<i>melanophrys. Tem.</i>	Afr. austr.	1345	<i>stolidus. (L.)</i>	Emisph. boreal.	1356
<i>spadicea. Gmel.</i>	Ind. orient.	1016	<i>leucocapillus. Gould</i>	N. Holland.	1355
Fam. V. LARIDÆ			RHYNCHOPS. Lin.		
(G. <i>Larus</i> , <i>Rhynchops</i> et <i>Sterna</i> L.)			<i>nigra. L.</i>	Am. trop. et mer.	501
STERCORARIUS. Briss.			<i>id. juv. (R. brevirostris. Spix)</i>		
<i>pomarinus. Tem.</i>	Eur. sept.	1359	<i>flavirostris. Viell.</i>	Africa	1354
<i>parasiticus. (Brünn.)</i>	ibid.	1357	Fam. VI. PELECANIDÆ		
<i>cephus. (Brünn.)</i>	ibid.	1358	(G. <i>Plotus</i> , <i>Phæton</i> et <i>Pelecanus</i> L.)		
			PLOTUS. Lin.		
			<i>Le Vaillantii. Tem.</i>	Afr. Ind. orient.	1386
			PHÆTON. Lin.		
			<i>phænicurus. L.</i>	Ocean. pacif.	1384
			<i>æthereus. L.</i>	Ocean. atlant.	1385

	Patria	Num. in Catal.		Patria	Num. in Catal.
SULA. Briss.			PHALACROCORAX. Briss.		
bassana. (L.)	Reg. septent.	1383	carbo. (L.)	Eur.As.Am.sep.	1395
{ fusca. Viell.	Brasilia	1382	cristatus. (Fabr.)	Eur. sept.	589
{ id. f. (S. brasiliensis. Spix)			punctatus. (Gmel.)	N. Seeland.	1394
piscator. (L.) (23)	Ocean. indian.	1018	melanoleucos. (Viell.)	N. Holland.	750
PELECANUS. Lin.			{ pygmaeus (Pall.)	Eur. orient. As.	1262
crispus. Bruch.	Eur. mer. or.	1352	{ id. juv. (Carbo javanicus. Horsf.)		
{ fuscus. L. juv.	Amer. mer.	1353	TACHYPETES. Viell.		
{ (P. carolinensis. Gmel.)			{ aquilus. (L.) m.	Mar. interrop.	1393
			{ id. f. (Pelecanus leucocephalus. L.)		

## ANIMADVERTIONES

1. CERYLE ALCYON. Lin. — Torque pectorali griseo caeruleo. An varietas Carolinae peculiaris?
2. ALCEDO AMERICANA. Gm. — Area rufa pectorali nulla; fœm. juxta Gmelin. (*Alcedo cayennensis* Viell. non Gmel.)
3. DACNIS CAYANUS. (L.) — *D. angelica* De Fil. (Atti della sesta riunione degli scienziati italiani) species eliminanda. A *D. cayano* differt tantum statura aliquantulum majore, et coloribus vividioribus.
4. SALICARIA ITALICA. De Fil. — Hucusque cum *Sylvia hippolaide* confusa, a clar. March. Durazzo autem (Guida di Genova e della Liguria, Vol. I pag. 177) cum *Ficedula ambigua* Schleg. At sane et constanter distinguitur ex comparatione sequenti.

<i>S. italica</i>	<i>S. hippolais</i>	<i>F. ambigua</i> (juxta Schlegel)
Long. tot. 5 poll. 6 lin.	4 poll. 6 lin.	5 poll. 4 lin.
— tarsi. 10 lin.		
— alarum. 2 poll. 10 lin.	2 poll. 6 lin.	2 poll. 6 lin.
Remex prima longiori alarum tectrici proximæ coequalis	2 lin. longior.	lin. 1 $\frac{3}{4}$ ad 2 $\frac{1}{2}$ brevior
— secunda sextam 3 lin. superat	coæquat	coæquat.
— quinta secunda brevior	longior.	longior.

Rostrum corneum; ad basin amplius quam in *S. hippolaide*.

Pedes plumbei, ungues pallide corneæ.

Supra olivaceo cinascenti, loris, exigua striga superciliari, nec non partibus inferioribus usque ad crissi finem, pallide sulphureis; pectore et lateribus non nihil olivascenti lavatis. Cauda paululum furcata.

*F. ambigua* Schleg (*Sylvia elaeica* Lindm.) juxta descriptiones clar. Schlegel (Revue critique des Oiseaux d'Europe) et clar. Lindermayer (Isis 1843, p. 342) distinguitur colore partium super.

magis in griseum vergente; flavido terreo, non sulphurescenti partium infer.; et tectricibus caudæ infer. totis albis non flavis. Juxta de Homeyer (Isis IX. 1846) hæc species *Salicariæ palustri* propinque accedit; nostra e contra *S. hippolaidi*.

Habitat (nidificat?) non infrequens æstivo tempore in Italia superiori, etiam prope Mediolanum.

5. **PANDICILLA FAMILIARIS.** Hanc speciem una cum valde adfini *Sylvia galactode* (forsan juxta clar. De Homayer non disjungendæ), non rite inter *Salicarias* Schlegel recensuit. Habitu, colorum distributione, nec non moribus, potius in systemate prope *S. Suecicam* auct. ponenda.
6. **FORMICIVORA GENEI.** De Fil. — Pileo, lineaque per oculos transeunte, postice dilatata nigris; linea superciliari usque ad nucham protensa, albida; gula, collo antico, postico, et laterali, albescenti et nigro crebre longitudinaliter maculatis; maculis istis in pectore, ventrequæ medio, transversalibus. Tectricibus alarum nigris, albo terminatis. Dorsum postico, crisso, rectricibus, remigibusque tertiariis, nec non aliarum pogonio externo, rubiginosis. Cauda valde gradata; rectrice utraque subts macula indistincta nigrescenti, subapicali. Rostrum corneum; pedes grisescentes.
7. **TURDUS OLIVACEUS.** Lath. — Plurima specimina hujus speciei Africæ australis incolæ, mense octobris anno 1843, in oppido Polavine, Brixia non procul, capta fuerunt, quorum duo in Mus. Mediol. adservantur.
8. **GARRULAX VITTATUS.** De Fil. — Supra cum cauda plumbeus, subts pallidior, rufescenti leviter tinctus. Capite supra purpurascenti rubro, plumis nonnullis in fronte rigidiusculis, albis. Abdomine medio crissoque ferrugineis. Remigibus primariis nisi apicem versus, pogonio externo albo, qui color vittam longitudinalem alarum efformat. Rostrum flavorubidum. Pedes sturnini, flavi.
9. **PACHYRAMPHUS DIMIDIATUS.** De Fil. — Supra nigro chalibæus, subts albus; fascia scapulari alba, rectricibus dorso concoloribus extimis tantum extremo apice macula alba præditis. Magnitudo *Pach. marginati*.
10. **COPURUS LEUCOCILLA.** (Hahn) — Forsan duo species sub hoc nomine habentur, præter *Cop. leuconotum*, Fras. Specimina vidi, staturæ minoris quam in typicis, rostro e contra majore.
11. **HELIOCHERA.** De Fil. (sept. 1846). **CARPORNIS.** G. R. Gray (Decemb. 1846).  
Rostrum arcuatum, capite brevius, basi ampla, culmine rotundato, mesorhinio elevato, in fronte anguloso. Nares oblongæ in medio longitudinis maxillæ, prope margines, setis nonnullis oblectæ.  
Ptilosis mollis, sublaxa.  
Remiges 3.<sup>a</sup> et 4.<sup>a</sup> longiores 1.<sup>a</sup> et 2.<sup>a</sup> versus apicem intus emarginatæ.  
Cauda recta, æqualis.
12. **EUCHLORNIS.** De Fil.  
Rostrum breve, basi minus ampla quam in gen. *Cotinga*; apice denticulato.  
Ptilosis laxa, non squamiformis.  
Remiges primores non angustatæ ut in *Cotingis*.  
Color viridis in pictura prævalens.  
In hoc genere ponendas existimamus. *Amp. arcuatam* La Fresn. *A. aureopectus* ejusdem; et forsam etiam *A. cinctam* Tschudi.
13. **CEBLEPYRIS LUCTUOSUS.** De Fil. — Rostrum valde depressum, nigrum; striga subtilissima frontali, loribus, occipite, colloque postico nigerrimis. Capitis parte media anteriore, corporeque toto subts albis; hoc ad latera cinerascenti læviter intermixto. Dorsum cum uropygio plumbeum. Alæ nigre, remigibus secundariis et tectricibus limbo plumbeo; remigum pogonio interno macula alba longitudinali. Cauda longa, valde gradata. Rectricibus mediis nigris, cæteris ad apicem macula magna, longitudinali alba præditis.
14. **GRAUCALUS TORQUATUS.** De Fil. — Ptilosis pictura eadem ac in *Gr. melanope*; at fronte ardesiaca non nigra; ventre crissoque cinereis non albis; torque collari postico nigro; magnitudo *Lani minoris*, non *Garruli glandarii*.
15. **LANIUS EXCUBITOR.** var. partibus inferioribus totis, dorso concoloribus. Prope Mediolanum capta.
16. **LANIUS (COLLURIO) JERACOPIS.** De Fil. — Fronte, superciliis, gula, colloque antico albis; vertice canescenti; striga a naribus orta, per oculos ad genas excurrente, nigra. Collo postico, dorso, tectricibusque alarum cinereo rufescentibus. Alæ fusæ; remigibus secundariis, nec non tectricibus rufescenti limbatis. Cauda parum gradata, longa, dorso concolori; rectrices strictæ; laterales tantum, apicem versus margine albescentes. Toto corpore subts, crissoque pallidissime isabellinis.

17. *THAMNOPHILUS JANII*. De Fil. — Supra olivaceo rufescenti; genis griseis; gula pectoreque cinerascenti rufis, hoc colore in rubiginoso ventris, laterum crissique sensim transeunte; tectricibus alarum nigris, albo terminatis. Remigibus fuscis, limbo externo rufescenti. Rectricibus, mediis exceptis, macula alba terminatis; lateralibus alia ante apicem, in pogonio externo. Rostrum, pedesque fusci. Affinis *Tham. axillari* Tschud; differt præsertim mandibula inferiori non albescenti, et linea superciliari nulla.
- Speciem dicamus eximio et benevolissimo Georgio Jan equiti, Musei Mediolanensis Directori.
18. *GARRULUS GLANDARIUS*. var. (an n. sp.?) coloribus quam in individuis typicis obscurioribus; maculis nigris in plumis verticis majoribus; loris nigris. Patria? . . . .
19. *STURNELLA BELLICOSA*. De Fil. — *Sturnellæ militari* simillima, sed facile distinguenda tectricibus alarum inferioribus albis non nigris; et remige prima quintam longitudine coæquante (in *St. militari* 3 lin. superante). Huic speciei pertinere *St. militarem* auctorum qui de Fauna Peruana et Boliviana scripserunt, valde suspicamur. Hoc etiam dicendum erit de *Sturno Leyca* Mol. de quo nil clare patet ex descriptione auctorum.
20. *Psittacum hæmatodum*, L. ab auctoribus inter Trichoglossos recensitum, ptilosis caracteribus magis ad Coryphilos pertinere nobis videtur.
21. Lesson potius quam clar. G. R. Gray. qui Menuram a Megapodio disjungit, in hac familia constituenda secuti sumus.
22. *LIMOSA RUFA*. var. rostro 6 cent. 4 millim. longo, et ptilosim juvenis induens: ex Ægypto.
23. *Sula fiber*, Gm. forsán huius speciei juvenis

#### EMENDANDA ED ADDENDA

pag 4 *Ceyx Sonneratii* etc. lege *Ceyx purpurea* (Gmel.) ex Ind. orient.

Jam catalogus iste in lucem traditurus erat, quum nobis fasciculum Decembris anni elapsi, repertorii *Revue Cuvierienne* pervenit, ubi clariss. Gerbe denuo *Sylviam icterinam* Viel. revocans, characteres præbet huius speciei qui omnimode *Salicariæ italicæ* conferunt. Nos attamen descriptiones *S. icterinæ* juxta Viellot antea ponderavimus, ad comparisonem instituendam cum hac specie nostra, quin characterem aliquum sat clare et tute pro earum identitate, nobis invenire datum fuisse. Quapropter judicio egregii Doct. Schlegel consociati, *S. icterinam* Viel. veluti *trochili* varietatem habemus. March. C. Durazzo e contra illam sat facile distinguendam specificis caracteribus a *trochilo* existimat; (eo magis a *Salicaria italica*). Lis ergo rursum sub iudice ponenda.

Mense Martii 1847.

PH. DE FILIPPI

Med. doct. Mus. Mediol. Direct. adjun.







